

QNAP QSW-M2116P-2T2S verkkokytin Hallittu L2 2.5G Ethernet Power over Ethernet -tuki musta



Tuotemerkki : QNAP

Tuotekoodi: QSW-M2116P-2T2S

Tuotteen nimi : QSW-M2116P-2T2S

QNAP QSW-M2116P-2T2S. Kytin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: 2.5G Ethernet, Basic kytkentä RJ-45 Ethernet-porttien määrä: 16, Console-portti: RJ-45. Täysin kaksipuolinen. MAC-osoitetaulukko: 32000 entries, Kytkentäkapasiteetti: 160 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3af,.... Power over Ethernet -tuki. Telineasennus

Management features		Design	
Switch type *	Managed	LED indicators	Activity, Link, Power, Speed, Status
Switch layer	L2	Number of fans	2 fan(s)
Quality of Service (QoS) support	✓	Electromagnetic compatibility	CLASS A
Web-based management	✓	Performance	
Ports & interfaces		Firmware upgradeable	✓
Basic switching RJ-45 Ethernet ports quantity *	16	Fanless	✗
Basic switching RJ-45 Ethernet ports type *	2.5G Ethernet	Power	
2.5G Ethernet (copper) ports quantity	16	Power source *	AC
10G Ethernet (copper) ports quantity	2	Power supply included *	✓
SFP+ module slots quantity	2	Number of power supply units	1
Console port	RJ-45	AC input voltage	100 - 240 V
Network		AC input frequency	50 - 60 Hz
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3af, IEEE 802.3an, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓
10G support *	✓	Power over Ethernet plus (PoE+) ports quantity	16
Port mirroring	✓	Total Power over Ethernet (PoE) budget	280 W
Full duplex	✓	Operational conditions	
Flow control support	✓	Operating temperature (T-T)	0 - 40 °C
Rate limiting	✓	Operating relative humidity (H-H)	5 - 95%
Auto-negotiation	✓	Weight & dimensions	
VLAN support	✓	Width	285 mm
Data transmission		Depth	234.8 mm
Switching capacity *	160 Gbit/s	Height	43.5 mm
Throughput	80 Gbit/s	Weight	2.08 kg
MAC address table *	32000 entries	Packaging content	
Jumbo frames support	✓	Cables included	AC
Jumbo frames	9000	Quick start guide	✓
		User guide	✓
		Rack mount kit	✓

Security		Packaging data	
DHCP features	DHCP client	Package weight	2.13 kg
Access Control List (ACL)	✓	Certificates	
IGMP snooping	✓	Compliance certificates	CE
Design		Certification	CE, FCC, VCCI, BSMI
Rack mounting *	✓	Logistics data	
Stackable *	✗	Harmonized System (HS) code	85176990
Product colour	Black		
Reset button	✓		



4713213518861

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date