

ZYXEL

Zyxel XS1930-10-ZZ0101F verkkokytkin Hallittu L3 10G Ethernet (100/1000/10000) musta

Tuotemerkki : Zyxel

Tuotekoodi: XS1930-10-ZZ0101F

Tuotteen nimi : XS1930-10-ZZ0101F

Zyxel XS1930-10-ZZ0101F. Kytin tyyppi: Hallittu, Kytinkerros: L3. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: 10G Ethernet (100/1000/10000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 200 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3af,.... Telineasennus



Management features		Design	
Switch type *	Managed	Rack mounting *	✓
Switch layer	L3	Product colour	Black
Quality of Service (QoS) support	✓	LED indicators	✓
Web-based management	✓	Power	
Cloud-managed	✓	Power supply included *	✓
Configuring Location Settings (CLI)	✓	AC input voltage	100 - 240 V
MIB support	✓	AC input frequency	50 - 60 Hz
Ports & interfaces		Power consumption (max)	44.2 W
Basic switching RJ-45 Ethernet ports quantity *	8	Power over Ethernet (PoE)	
Basic switching RJ-45 Ethernet ports type *	10G Ethernet (100/1000/10000)	Power over Ethernet (PoE) *	✗
SFP+ module slots quantity	2	Operational conditions	
Network		Operating temperature (T-T)	-20 - 50 °C
Networking standards *	IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3af, IEEE 802.3an, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3x	Storage temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	5 - 95%
10G support *	✓	Storage relative humidity (H-H)	5 - 95%
Port mirroring	✓	Heat dissipation	151.06 BTU/h
Ethernet LAN data rates	100,1000,2500,5000,10000 Mbit/s	Weight & dimensions	
VLAN support	✓	Width	330 mm
Data transmission		Depth	230 mm
Switching capacity *	200 Gbit/s	Height	44 mm
MAC address table *	16000 entries	Weight	2.4 kg
		Logistics data	
		Harmonized System (HS) code	85176990

Multicast features

Multicast support





4718937605248

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date