



ASUS 90SB0A90-M0UAY0 emolevy LGA 1200 (Socket H5) ATX

Tuotemerkki : ASUS

Tuotekoodi: 90SB0A90-M0UAY0

Tuotteen nimi : 90SB0A90-M0UAY0

ASUS 90SB0A90-M0UAY0. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1200 (Socket H5), Yhteensopivat prosessorit: Intel® Xeon®. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyyppit: HDD & SSD. Sisältyvän näytönohjaimen malli: Aspeed AST2600, Sisäisen näytönohjaimen muisti: 64 MB. Komponentti (tuotteelle): Palvelin, Emolevyn muototekijä: ATX, Emolevyn piirisarjan perhe: Intel




Processor		Internal I/O	
Processor manufacturer *	Intel	Number of chassis fan connectors	6
Processor socket *	LGA 1200 (Socket H5)	Number of COM connectors	1
Compatible processor series *	Intel® Xeon®	TPM connector	✓
Memory		Rear panel I/O ports	
Supported memory types *	DDR4-SDRAM	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Number of memory slots *	4	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
Memory slots type	DIMM	PS/2 ports quantity	1
Memory channels	Dual-channel	VGA (D-Sub) ports quantity *	1
Supported memory clock speeds	2666,2933,3200 MHz	HDMI ports quantity *	1
Maximum internal memory *	128 GB	Features	
Supported memory module capacities	8GB, 16GB, 32GB	PC health monitoring	CPU, Fan
Storage controllers		Component for *	Server
Supported storage drive types	HDD & SSD	Motherboard form factor *	ATX
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset family *	Intel
Number of HDDs supported	8	Expansion slots	
Number of storage drives supported	10	PCI Express x8 slots	3
RAID support	✓	PCI Express x16 slots	1
Graphics		PCI Express x16 (Gen 3.x) slots	1
On-board graphics card	✓	Number of M.2 (M) slots	2
On-board graphics card model	Aspeed AST2600	Operational conditions	
On-board graphics card memory	64 MB	Storage temperature (T-T)	-40 - 70 °C
Internal I/O		Operating relative humidity (H-H)	10 - 50%
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Storage relative humidity (H-H)	20 - 90%
Number of SATA III connectors *	8	Logistics data	
Power fan connector	✓	Harmonized System (HS) code	84733020

Packaging data

Package weight	9.5 g
----------------	-------

Weight & dimensions

Width	305 mm
Depth	244 mm



4711081420217

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date