



Delock USB cable Type-C to DisplayPort (DP Alt Mode) 4K 60 Hz 1 m coaxial

Description

This cable by Delock enables the connection of a DisplayPort monitor to a device with USB-CTM or ThunderboltTM 3 port, such as a MacBook or a Chromebook. The interface has to support the DisplayPort Alternate Mode. The coaxial cable is very flexible and easy to handle due to its small diameter.



Specification

- · Connectors:
- 1 x USB Type-CTM male >
- 1 x DisplayPort 20 pin male
- · Chipset: Atmel
- DisplayPort 1.2 specification
- Signal direction: USB Type-CTM input > DisplayPort output
- Cable: coaxial
- · Cable diameter: ca. 3.7 mm
- · Metal housing
- Contacts gold-plated
- · With nylon braid
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- · Transmission of audio and video signals
- · Supports 3D displays
- Supports HDCP 1.4
- · USB bus powered
- Plug & Play
- · Colour: black
- · Length incl. connectors (L): ca. 1 m

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, ex Mac OS 10.12, Windows Mobile 10, Chrome OS, ex Android 6.0
- Device with a free USB Type-C[™] port and DisplayPort alternate mode or with a free Thunderbolt[™] 3 port

Package content

USB-C[™] to DisplayPort cable

Item no. 83709

EAN: 4043619837090

Country of origin: China

Package: Retail Box








Images













General	
Function:	Plug & Play
Cable finishing:	Nylon braid
Specification:	DisplayPort 1.2
	HDCP 1.4
Supported operating system:	Android 6.0 or above
	Chrome OS
	Mac OS 10.12 or above
	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 10 Mobile
Interface	
Output:	1 x DisplayPort 20 pin male
Input:	1 x USB Type-C™ male
Technical characteristics	
Chipset:	Atmel
Maximum screen resolution:	3840 x 2160 @ 60 Hz
Signal transmission:	video
	audio
Physical characteristics	
Housing material:	metal
Cable diameter:	3.7 mm
Pin finishing:	gold-plated
Conductors:	coaxial
Length:	1 m
Colour:	black