tp-link

TP-Link Deco X50 Kaksitaajuus (2,4 GHz/5 GHz) Wi-Fi 6 (802.11ax) Valkoinen 3 Sisäinen

Tuotemerkki : TP-Link   **Tuotekoodi:** DECO X50(1-PACK)

Tuotteen nimi : Deco X50

TP-Link Deco X50. Tuotteen väri: Valkoinen, Antennityyppi: Sisäinen, Lähetysteho: CE: <20 dBm (2.4 GHz) <23 dBm (5 GHz) FCC: <30 dBm (2.4 GHz) <30 dBm (5 GHz). Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 6 (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Prosessorin taajuus: 1 GHz, Palomuurisuojaus: SPI, Käytönvalvontaominaisuudet: Mukautetut profiilit, Ajanhallinta, Viikoittaiset/kuukausittaiset raportit. AC-adapterin lähtöjännite: 12 V, AC-adapterin antovirta: 1,5 A. Vaatimustenmukaisuustodistukset: CE, RoHS

Design

Product colour *	White
Antenna type *	Internal
Antennas quantity	2
Transmit power	CE: <20 dBm (2.4 GHz) <23 dBm (5 GHz) FCC: <30 dBm (2.4 GHz) <30 dBm (5 GHz)
Reset button	✔

Wireless LAN features

Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN data transfer rate (first band)	574 Mbit/s
WLAN data transfer rate (second band)	2402 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Security algorithms	WPA-PSK, WPA2-PSK, WPA3-PSK
Number of guest networks (5 GHz)	1
Number of guest networks (2.4 GHz)	1
IGMP proxy	✔
IGMP snooping	✔
Tagged VLAN	✔
Dynamic DNS (DDNS)	✔

Features

Built-in processor	✔

Features

Parental control	✔
Parental control features	Custom profiles, Time controls, Weekly/monthly reports
Firmware upgradeable via	Network
MU-MIMO technology	✔

Ports & interfaces

Ethernet LAN (RJ-45) ports *	3
DC-in jack	✔

Power

AC adapter output voltage	12 V
AC adapter output current	1.5 A

Certificates

Compliance certificates	CE, RoHS

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	110 mm
Depth	110 mm
Height	114 mm

Packaging content

Number of products included	1 pc(s)
AC adapter included	✔
Number of units included	1 pc(s)

Features

Processor cores	2
Processor frequency	1 GHz
Quality of Service (QoS) support	✔
Port forwarding	✔
Firewall security	SPI
BeamForming	✔
DHCP client	✔
Universal Plug and Play (UPnP)	✔

Packaging content

Ethernet cable	✔

Packaging data

Package width	220 mm
Package depth	194 mm
Package height	125 mm
Package weight	910 g

Logistics data

Harmonized System (HS) code	85171800

‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖

4897098687062

‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖‖

4897098681657