

Lexmark CX532adwe Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi

Tuotemerkki : Lexmark

Tuotekoodi: 50M7051

Tuotteen nimi : CX532adwe

- Colour Laser Printer
 - Kaksipuolinen tulostus: Sisäänrakennettu kaksipuolisuus
 - Tulostusnopeus: Jopa 33 s/min
 - Suositeltava kuukausittainen käyttö sivuina: 1,500 - 10,000 sivua
 A4 - A6, 33 ppm, 1200 x 1200 dpi, Quad Core, 1.2 GHz, 2048 MB
 Lexmark CX532adwe. Tulostustekniikka: Laser, Tulostus: Väritulostus, Suurin resoluutio: 1200 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 33 ppm. Kopiointi: Värikopiointi. Skannaus: Väri-skannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Yksittäisfaksin lähetyks. Kaksipuolinen toiminto: Kopiointi, Faksi, Tulosta, Skannaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: Harmaa, Valkoinen



Printing		Ports & interfaces	
Print resolution colour	1200 x 1200 DPI	USB 2.0 ports quantity	3
Print resolution black	1200 x 1200 DPI	Optional connectivity	Ethernet, Wireless LAN
Print technology *	Laser	Network	
Printing *	Colour printing	Wi-Fi *	✓
Duplex printing *	✓	Ethernet LAN *	✓
Maximum resolution *	1200 x 1200 DPI	Cabling technology	10/100/1000Base-T(X)
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Ethernet LAN data rates	10,100,1000 Mbit/s
Print speed (colour, normal quality, A4/US Letter)	33 ppm	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Duplex print speed (black, normal quality, A4/US Letter)	17 ppm	Performance	
Duplex print speed (colour, normal quality, A4/US Letter)	17 ppm	Maximum internal memory	2048 MB
Time to first page (black, normal)	7.2 s	Internal memory *	2048 MB
Time to first page (colour, normal)	7.5 s	Built-in processor	✓
Copying		Processor frequency	1200 MHz
Duplex copying *	✓	Processor cores	4
Copying *	Colour copying	Sound pressure level (printing)	50 dB
Maximum copy size	A4	Sound pressure level (duplex printing)	52 dB
Copy speed (black, normal quality, A4)	33 cpm	Sound pressure level (copying)	50 dB
Copy speed (colour, normal quality, A4)	33 cpm	Sound pressure level (scanning)	43 dB
Time to first copy (black, normal)	7.637 s	Sound pressure level (standby)	14 dB
Time to first copy (colour, normal)	7.684 s	Design	
Copier resize	25 - 400%	Product colour *	Grey, White
Scanning		Market positioning *	Home & office
Duplex scanning *	✓	Built-in display *	✓
Scanning *	Colour scanning	Display diagonal	10.9 cm (4.3")
Optical scanning resolution *	600 x 600 DPI	Control type	Touch
Scanner type *	ADF scanner	Colour display	✓
Scan technology	CIS	Power	
Scan to	E-mail, FTP, LDSS, Network folder, USB	Power consumption (max)	574 W
Scan speed (colour)	36 ppm	Power consumption (printing)	574 W
Scan speed (black)	52 ppm	Power consumption (ready)	25.5 W
Duplex scan speed (colour)	72 ppm	Power consumption (standby)	0.2 W
Duplex scan speed (black)	104 ppm	Power consumption (sleep)	1.3 W
Image formats supported	BMP, JPEG, JPG, TIFF	Energy Star Typical Electricity Consumption (TEC)	0.51 kWh/week
		System requirements	
		Windows operating systems supported	✓

Fax		System requirements	
Duplex faxing	✓	Mac operating systems supported	✓
Faxing *	Mono faxing	Linux operating systems supported	✓
Fax transmission speed	3 sec/page	Operational conditions	
Modem speed	33.6 Kbit/s	Operating relative humidity (H-H)	15 - 80%
Features		Storage temperature (T-T)	10 - 32.2 °C
Recommended duty cycle	1500 - 10000 pages per month	Operating altitude	0 - 2900 m
Maximum duty cycle *	100000 pages per month	Certificates	
Duplex functions *	Copy, Fax, Print, Scan	Certification	ENERGY STAR, Blue Angel RAL-UZ 205, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62368-1, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EN 55035, UL), EFTA (CE), KCC, CCC, CECP, CEL, UL-AR, KC mark, UL GS mark, UCRF, EC 1275
Number of print cartridges *	2		
Printing colours *	Black, Cyan, Magenta, Yellow	Sustainability	
Page description languages	HTML Direct Image Space, PCL 5, PCL 6, PDF 1.7, PPDS, PostScript 3	Sustainability compliance	✓
Input & output capacity		Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
Total number of input trays *	2	Weight & dimensions	
Total input capacity *	251 sheets	Width	479 mm
Total output capacity *	200 sheets	Depth	475.1 mm
Auto document feeder (ADF)	✓	Height	491.4 mm
Auto document feeder (ADF) input capacity	100 sheets	Weight	27.1 kg
Auto document feeder (ADF) output capacity	100 sheets	Packaging data	
Maximum input capacity	2001 sheets	Package width	636 mm
Maximum output capacity	200 sheets	Package depth	575 mm
Paper handling		Package height	600 mm
Maximum ISO A-series paper size *	A4	Package weight	32.3 kg
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper	Packaging content	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Cartridge(s) included	✓
ISO B-series sizes (B0...B9)	B5	Included cartridge capacity (black)	3000 pages
ISO C-series sizes (C0...C9)	C5	Included cartridge capacity (CMY)	2000 pages
Non-ISO print media sizes	Executive, Folio, Hagaki card, Legal, Letter, Oficio, Statement, Universal	Cables included	AC
JIS B-series sizes (B0...B9)	B5	Technical details	
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Compliance certificates	RoHS
Ports & interfaces			
Direct printing *	✓		
USB port	✓		
USB connector	USB Type-A / USB Type-B		



0734646745406



734646745406

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.