

## be quiet! SFX L Power virtalähdeyksikkö 600 W 20+4 pin ATX musta

**Tuotemerkki** : be quiet!

**Tuotekoodi**: BN239

**Tuotteen nimi** : SFX L Power

be quiet! SFX L Power. Kokonaisteho: 600 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 650 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 30 cm, PCI Express -virtakaapelin pituus: 40 cm. Tarkoitus: PC, Virransyöttöyksikön mitat: SFX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Tuulettimen halkaisija: 12 cm, Tuulettimien määrä: 1 tuuletin(ta). Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: CE, CB, TÜV, FCC, cTUVus, RCM



Power		Performance	
Total power *	600 W	Power supply unit (PSU) form factor	SFX
Peak power	650 W	ATX version	2.4
AC input voltage *	100 - 240 V	Silent mode	✓
AC input frequency	50 - 60 Hz	Bearing technology	Sleeve
Input current	10 A	<b>Design</b>	
Power factor	0.99	Product colour	Black
Power Factor Correction (PFC) type	Active	Fan diameter	12 cm
Combined power (+3.3V)	110 W	Number of fans	1 fan(s)
Combined power (+12V)	600 W	On/off switch	✓
Combined power (+5V)	110 W	<b>Certificates</b>	
Combined power (-12V)	3.6 W	Compliance certificates	RoHS
Combined power (+5Vsb)	15 W	Certification	CE, CB, TÜV, FCC, cTUVus, RCM
Max output current (+3.3V)	22 A	<b>Weight &amp; dimensions</b>	
Max output current (+12V)	50 A	Width	125 mm
Max output current (+5V)	22 A	Depth	130 mm
Max output current (-12V)	0.3 A	Height	64 mm
Max output current (+5Vsb)	3 A	Weight	1.16 kg
Hold time	16.8 ms	<b>Packaging data</b>	
Efficiency	92%	Manual	✓
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Package width	205 mm
<b>Ports &amp; interfaces</b>		Package depth	220 mm
Motherboard power connector *	20+4 pin ATX	Package height	80 mm
Motherboard power cable length	30 cm	Package weight	2.04 kg
Number of SATA power connectors	6	Package type	Box
Number of PATA power connectors	3	<b>Technical details</b>	
PCI Express power connectors (6+2 pin)	4	Sustainability certificates	ENERGY STAR
PCI Express power cable length	40 cm	<b>Logistics data</b>	
CPU power connector (4+4 pin)	✓	Master (outer) case width	430 mm
CPU power cable length	40 cm	Master (outer) case length	430 mm
Cabling type	Fully-Modular	Master (outer) case height	240 mm
<b>Performance</b>		Master (outer) case gross weight	21.5 kg
80 PLUS certification *	80 PLUS Gold	Harmonized System (HS) code	84733020

Performance		Logistics data	
Supported motherboard form factors	Mini-ITX	Products per master (outer) case	10 pc(s)
Purpose *	PC	Other features	
		Screws included	✓
		Cable ties included	✓
		Noise level (silent mode, <30%)	9.9 dB
		Noise level (quiet mode, 50%)	14.5 dB
		Noise level (full-load mode, 100%)	28.7 dB



4260052187135

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date