## be quiet! Pure Power 11 700W virtalähdeyksikkö 20+4 pin ATX **ATX musta**

Tuotemerkki : be quiet!

Tuotekoodi: BN295

Performance

Tuotteen nimi : Pure Power 11 700W

be quiet! Pure Power 11 700W. Kokonaisteho: 700 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 750 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 55 cm, SATA-virtakaapelin pituus: 500,650,800 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Tuulettimen halkaisija: 12 cm, Tuulettimien määrä: 1 tuuletin(ta). Tuotteen leveys: 150 mm, Tuotteen syvyys: 150 mm, Tuotteen korkeus: 86 mm





## Dowor

Power	
Total power *	700 W
Peak power	750 W
AC input voltage *	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	10 A
Power factor	0.99
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	150 W
Combined power (+12V)	672 W
Combined power (+5V)	150 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	25 A
Max output current (+12V1)	36 A
Max output current (+12V2)	30 A
Max output current (+5V)	20 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Hold time	25 ms
Efficiency	92%
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage

Power supply unit (PSU) form factor *	ATX
ATX version EPS version Bearing technology	2.4 2.92 Rifle
Safety	CE, CB, TÜV, FCC, cTUVus, RCM, BSMI, CU, CCC
Certification	ErP, WEEE
Design	
Product colour Fan diameter Number of fans	Black 12 cm 1 fan(s)
Weight & dimensions	
Width Depth Height Weight	150 mm 150 mm 86 mm 2.11 kg
Packaging data	
Manual Package width Package depth Package height Package weight Package type	<ul> <li>210 mm</li> <li>240 mm</li> <li>96 mm</li> <li>2.39 kg</li> <li>Box</li> </ul>
Technical details	
Sustainability certificates Compliance certificates	ENERGY STAR RoHS
Logistics data	
Master (outer) case width Master (outer) case length	326 mm 514 mm

## Ports & interfaces

Motherboard power connector *				
Motherboard power cable length				
Number of SATA power connectors				
Number of PATA power connectors				
SATA power cable length				
PCI Express power connectors (6+2 pin)				
PCI Express power cable length				

55 cm
6
3
500,650,800 mm
4
50 cm

20+4 pin ATX

Ports & interfaces		Logistics data	
CPU power connector (4+4 pin) CPU power cable length Floppy disk drive connector Cabling type	✔ 60 cm ✔ Non-Modular	Master (outer) case height Master (outer) case gross weight Harmonized System (HS) code Products per master (outer) case	241 mm 15.4 kg 84733020 6 pc(s)
Performance		Other features	
80 PLUS certification * Purpose *	80 PLUS Gold PC	Screws included Cable ties included Noise level (silent mode, <30%) Noise level (quiet mode, 50%) Noise level (full-load mode, 100%)	✓ ✓ 11.4 dB 12.2 dB 25.9 dB



4260052186367

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.