be quiet! System Power 9 | 700W CM virtalähdeyksikkö 20+4 pin **ATX ATX musta**

Tuotemerkki : be quiet!

Tuotekoodi: BN303

Tuotteen nimi : System Power 9 | 700W CM

be quiet! System Power 9 | 700W CM. Kokonaisteho: 700 W, AC-syöttöjännite: 200 - 240 V, ACsyöttötaajuus: 50 Hz. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 55 cm, SATAvirtakaapelin pituus: 550,670 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Bronze. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 12 cm. Sisältää johdot: PCIe, SATA





Power		Performance	
AC input voltage * 200 -	ge * 200 - 240 V ency 50 Hz 6 A 0.95 Correction (PFC) type Active ver (+3.3V) 130 W ver (+12V) 672 W ver (+12V) 672 W ver (+5V) 130 W ver (-12V) 3.6 W ver (-12V) 3.6 W ver (+5Vsb) 15 W rrrent (+3.3V) 24 A rrrent (+12V1) 33 A rrrent (+12V1) 33 A rrrent (+12V2) 25 A rrrent (+12V) 0.3 A rrrent (+5V) 15 A 17 ms 89% Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage faces power connector * 20+4 pin ATX power connectors 10 rA power connectors 2 able length 550,670 mm over connectors 6+2 4	ATX version EPS version Bearing technology Certification Compatible products	2.51 2.92 Sleeve CE, CB, TÜV, RCM, CU Intel C6/C7
Power Factor Correction (PFC) type Combined power (+3.3V) Combined power (+12V) Combined power (+5V) Combined power (+5V) Combined power (+5Vsb) Max output current (+3.3V) Max output current (+12V1) Max output current (+12V2) Max output current (+5V) Max output current (+5V) Max output current (+5Vsb)		Design Product colour Cooling type Fan diameter Number of fans Packaging content Cables included Weight & dimensions Width Depth	Black Active 12 cm 1 fan(s) PCle, SATA 150 mm 140 mm
Hold time Efficiency Power protection features		Height Weight Packaging data Manual Package width Package depth Package height Package weight Package type	86 mm 1.69 kg ✓ 97 mm 268 mm 195 mm 2.44 kg Box
Ports & interfaces Motherboard power connector * Motherboard power cable length Number of SATA power connectors			
Number of PATA power connectors SATA power cable length PCI Express power connectors (6+2 pin) PCI Express power cable length		Technical details Sustainability certificates Compliance certificates Logistics data	ENERGY STAR RoHS
CPU power connector (4+4 pin) CPU power cable length Floppy drive power connector Cabling type	✔ 60 cm 1 Semi-Modular	Master (outer) case width Master (outer) case length Master (outer) case height Master (outer) case gross weight Harmonized System (HS) code	311 mm 215 mm 556 mm 15.3 kg 84733020

-

Performance		Logistics data	
80 PLUS certification * Purpose * Power supply unit (PSU) form factor *	AIX	Products per master (outer) case	6 pc(s)
		Other features	
		Screws included	1
		Noise level (silent mode, <30%)	9.7 dB
		Noise level (quiet mode, 50%)	14.1 dB
		Noise level (full-load mode, 100%)	31.7 dB



4260052187241

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.