

## Epson EB-770Fi dataprojektori Lähietäisyysprojektori 4100 ANSI lumenia 3LCD 1080p (1920x1080) Valkoinen

**Tuotemerkki** : Epson

**Tuotekoodi**: V11HA78080

**Tuotteen nimi** : EB-770Fi



Epson EB-770Fi. Projektorin kirkkaus: 4100 ANSI lumenia, Projektionteknologia: 3LCD, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: Laser, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 30000 h. Tarkennus: Ohje, Kiinteä polttoväli: 3,7 mm, Zoomaussuhde: 1.35:1. Sarjaliitännän tyyppi: RS-232C. Ethernet LAN -datanopeudet: 10,100 Mbit/s, Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)

<b>Projector</b>		<b>Network</b>	
Screen size compatibility *	1524 - 2540 mm (60 - 100")	Ethernet LAN data rates	10,100 Mbit/s
Projector brightness *	4100 ANSI lumens	Wi-Fi *	✓
Projection technology *	3LCD	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Projector native resolution *	1080p (1920x1080)	<b>Storage</b>	
Contrast ratio (typical) *	2500000:1	Card reader integrated *	✗
Native aspect ratio *	16:9	<b>Features</b>	
Number of colours	1.07 billion colours	Interactive *	✓
Vertical scan range	192 - 240 Hz	Interactive input supported	Interactive pen/Touch
Keystone correction, horizontal	-3 - 3°	Noise level (economic mode)	27 dB
Keystone correction, vertical	-3 - 3°	Noise level *	37 dB
Heat dissipation	895 BTU/h	<b>Multimedia</b>	
<b>Light source</b>		Built-in speaker(s) *	✓
Light source type *	Laser	RMS rated power	16 W
Service life of light source *	20000 h	<b>Design</b>	
Service life of light source (economic mode)	30000 h	Market positioning *	Presentation
<b>Lens system</b>		Product type *	Ultra short throw projector
Focus *	Manual	Product colour *	White
Fixed focal length	3.7 mm	Placement	Ceiling, Desktop, Wall
F-number (relative aperture)	1.6	Cable lock slot	✓
Zoom capability	✓	Cable lock slot type	Kensington
Zoom ratio	1.35:1	<b>Power</b>	
Throw ratio	0.25 - 0.35:1	Power source *	AC
<b>Video</b>		Power consumption (typical) *	197 W
Analog signal format system *	Not supported	Power consumption (standby) *	0.5 W
Full HD *	✓	Power consumption (PowerSave)	199 W
3D *	✗	AC input frequency	50/60 Hz
<b>Ports &amp; interfaces</b>		AC adapter output voltage	100 - 240 V
USB 2.0 ports quantity	4	<b>Operational conditions</b>	
USB 2.0 Type-A ports quantity	2	Storage temperature (T-T)	-10 - 60 °C
USB 2.0 Type-B ports quantity	2	Operating relative humidity (H-H)	20 - 80%
Microphone in	✓	Storage relative humidity (H-H)	10 - 90%
Serial interface type *	RS-232C		

Ports & interfaces		Weight & dimensions	
VGA (D-Sub) ports quantity *	2	Width	356 mm
HDMI ports quantity *	3	Depth	395 mm
DVI port *	✗	Height	133 mm
<b>Network</b>		Weight *	6 kg
Ethernet LAN *	✓	Packaging content	
Ethernet LAN (RJ-45) ports	1	Remote control included *	✓
		Batteries included	✓
		Cables included	AC, USB



8715946715230

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date