Shuttle

Shuttle XH610 barebone-tietokonerunko 3.5L kokoinen PC musta Intel H610 LGA 1700

Tuotemerkki : Shuttle   **Tuotekoodi:** XH610

Tuotteen nimi : XH610

Shuttle XH610. Alustatyyppi: 3.5L kokoinen PC, Tuotetyyppi: PC barebone. Emolevyn piirisarja: Intel H610, Prosessorin kanta: LGA 1700, BIOS-tyyppi: AMI. Tuetut muistityypit: DDR4-SDRAM, Muistipaikkojen lukumäärä: 2, Sisäinen enimmäismuisti: 64 GB. Tuetut tallennusasematyypit: HDD & SSD, Tallennuslaitteen liitäntä: M.2, PCI Express, Serial ATA III. Ethernet LAN (RJ-45) -portit: 2. Jäähdytyksen tyyppi: Aktiivinen. Virtalähde: 120 W

Processor	
Built-in processor *	✘

Memory	
Memory slots type *	SO-DIMM
Number of memory slots *	2
Maximum internal memory	64 GB
Supported memory clock speeds	2133,2400,2666,2933,3200 MHz
Supported memory types	DDR4-SDRAM
Memory channels	Dual-channel
Memory voltage	1.2 V
ECC	✘
Non-ECC	✔

Storage	
Supported storage drive types *	HDD & SSD
Storage drive sizes supported *	2.5"
Storage drive interface	M.2, PCI Express, Serial ATA III
NVMe	✔

Graphics	
On-board graphics card *	✔
Graphics card family	Intel

Audio	
Built-in speaker(s) *	✘

Network	
Ethernet LAN *	✔
Wi-Fi *	✘

Design	
LED indicators	HDD, Power
Cable lock slot	✔
Cable lock slot type	Kensington
Product type *	PC barebone

Performance	
Motherboard chipset	Intel H610
Processor socket	LGA 1700
Number of processors supported	1
Compatible processor series	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium®
BIOS type	AMI
Trusted Platform Module (TPM)	✔
Trusted Platform Module (TPM) version	2.0

Technical details	
Compliance certificates	RoHS

Logistics data	
Harmonized System (HS) code	84733080

Software	
Windows operating systems supported	Windows 10, Windows 11
Linux operating systems supported	✔
Operating system installed	✘

Sustainability	
Sustainability certificates	ENERGY STAR, ErP

Ports & interfaces

USB 2.0 ports quantity *	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
HDMI ports quantity *	1
HDMI version	2.0b
VGA (D-Sub) ports quantity *	1
DisplayPorts quantity	1
DisplayPort version	1.4a
Microphone in	✔
Headphone outputs	1
Ethernet LAN (RJ-45) ports *	2
COM ports quantity	2
DC-in jack	✔

Expansion slots

Number of M.2 (M) slots	1

Design

Chassis type *	3.5L sized PC
Product colour *	Black
Cooling type *	Active

Power

Power supply type *	External AC adapter
Power supply	120 W
Number of power supply units	1
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
AC adapter output voltage	19 V
AC adapter output current	6.32 A

Operational conditions

Operating temperature (T-T)	0 - 50 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	200 mm
Depth	238 mm
Height	72 mm
Weight	2.2 kg
Package weight	3.5 kg

Packaging content

Quick start guide	✔
Drivers included	✔

Other features

Country of origin	China

0887993005171

887993005171