Shuttle

Shuttle XPC cube SW580R8 barebone-tietokonerunko Kuutio musta Intel W580 LGA 1200 (Socket H5)

**Tuotemerkki :** Shuttle   **Tuoteperhe:** XPC cube   **Tuotekoodi:** SW580R8

Tuotteen nimi : SW580R8

Shuttle XPC cube SW580R8. Alustatyyppi: Kuutio, Tuotetyyppi: PC barebone. Emolevyn piirisarja: Intel W580, Prosessorin kanta: LGA 1200 (Socket H5), BIOS-tyyppi: UEFI AMI. Tuetut muistityypit: DDR4-SDRAM, Muistipaikkojen lukumäärä: 4, Sisäinen enimmäismuisti: 128 GB. Tuetut tallennusasematyypit: HDD & SSD, Tallennuslaitteen liitäntä: Serial ATA III, RAID-tasot: 0, 1, 5, 10, JBOD. Ethernet LAN (RJ-45) -portit: 4. Jäähdytyksen tyyppi: Aktiivinen. Virtalähde: 500 W

Processor	
Built-in processor *	✗
Thermal Design Power (TDP)	125 W

Memory	
Memory slots type *	DIMM
Number of memory slots *	4
Maximum internal memory	128 GB
Supported memory clock speeds	2666,2933,3200 MHz
Supported memory types	DDR4-SDRAM
Memory channels	Dual-channel
Memory voltage	1.2 V
ECC	✔

Storage	
Supported storage drive types *	HDD & SSD
Storage drive sizes supported *	2.5,3.5,M.2
Storage drive interface	Serial ATA III
Number of storage drives supported	6
RAID levels	0, 1, 5, 10, JBOD
Card reader integrated	✗

Graphics	
On-board graphics card *	✔
Graphics card family	Intel
On-board graphics card model	Intel® UHD Graphics

Audio	
Built-in speaker(s) *	✗

Network	
Ethernet LAN *	✔
Wi-Fi *	✗
LAN controller	Intel® I210-AT, Intel® I219-LM, Realtek RTL8125B

Design	
Chassis type *	Cube
Product colour *	Black
Cooling type *	Active
On/off switch	✔
LED indicators	HDD, Power
Housing material	Aluminium
Cable lock slot	✔
Cable lock slot type	Kensington
Product type *	PC barebone

Performance	
Motherboard chipset	Intel W580
Processor socket	LGA 1200 (Socket H5)
Number of processors supported	1
Compatible processor series	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold, Intel Xeon W
BIOS type	UEFI AMI
Trusted Platform Module (TPM)	✔
Trusted Platform Module (TPM) version	2.0
Audio output channels	5.1 channels
Audio chip	Realtek ALC897

Technical details	
Compliance certificates	CE, RoHS

Software	
Windows operating systems supported	Windows 10, Windows 11
Linux operating systems supported	✔
Operating system installed	✗

Ports & interfaces

|	
USB 2.0 ports quantity *	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	7
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
HDMI ports quantity *	1
HDMI version	2.0b
DisplayPorts quantity	1
DisplayPort version	1.4
Microphone in	✔
Headphone outputs	2
Ethernet LAN (RJ-45) ports *	4

Expansion slots

PCI Express slots version	3.0, 4.0
PCI Express x4 slots	1
PCI Express x16 slots	1
Number of M.2 (M) slots	2

Sustainability

Sustainability certificates	ENERGY STAR, ErP

Power

Power supply type *	Internal power supply unit
Power supply	500 W
Number of power supply units	1
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	215 mm
Depth	332 mm
Height	190 mm
Weight	3.5 kg
Package weight	4.5 kg

Packaging content

Power cord included	✔
Quick start guide	✔
Drivers included	✔

0887993004174

887993004174

0887993005447

887993005447