


DELL Latitude 5540 Intel® Core™ i7 i7-1355U Laptop 39.6 cm (15.6") Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Grey

Brand : DELL Product family: Latitude Product code: N11V5

Product name: 5540













Design		Network	
Product type * Product colour * Form factor *	Laptop Grey Clamshell	Bluetooth WWAN Ports & interfaces	√ Upgradable
Display Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel pitch Pixel density RGB colour space Colour gamut Display response rise/fall Maximum refresh rate Contrast ratio (typical)	39.6 cm (15.6") 1920 x 1080 pixels	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port Charging port type USB Type-C DisplayPort Alternate Mode USB Power Delivery PowerShare Number of USB ports with PowerShare support Performance Ambient light sensor	2 1 1 2.0 2 V USB Type-C V 1
Processor Processor manufacturer * Processor family * Processor generation Processor model * Processor cores	Intel Intel® Core™ i7 13th gen Intel® Core™ i7 i7-1355U 10	Keyboard Pointing device Keyboard language Numeric keypad * Keyboard backlit Software	Touchpad Nordic
Processor threads Processor boost frequency	12 5 GHz	Operating system language	Multilingual

Processor		Software	
Performance-core Max Turbo	5.011		No Microsoft Office License Included
Frequency	5 GHz	Trial software	30 day Trial Offer Only
Efficient-core Max Turbo Frequency Processor cache	3.7 GHz 12 MB	Operating system installed * Bundled software	Windows 11 Pro Windows System Driver
Processor cache type	Smart Cache	Processor special features	
Configurable TDP-down	12 W	CPU configuration (max)	1
Processor base power Maximum turbo power	15 W 55 W	Battery	
Memory		Battery technology	Lithium-Ion (Li-Ion)
Internal memory *	16 GB	Number of battery cells	3
Internal memory type	DDR4-SDRAM	Battery capacity *	54 Wh
Memory clock speed	3200 MHz	Battery voltage Fast charging	11.4 V ✓
Memory form factor	SO-DIMM	Battery weight	220 g
Memory layout (slots x size)	2 x 8 GB 2x SO-DIMM	Power	
Memory slots Maximum internal memory *	2x SO-DIMM 64 GB	AC adapter power	65 W
Non-ECC	✓ ·	AC adapter frequency	50/60 Hz
Storage		AC adapter input voltage	100 - 200 V
Total storage capacity *	512 GB	USB charging voltage	20,5,9,15 V
Storage media *	SSD	USB charging current	3.25 A
Total SSDs capacity	512 GB	Security	
Number of SSDs installed	1	Cable lock slot	√
SSD capacity SSD interface	512 GB PCI Express	Cable lock slot type Fingerprint reader	Wedge ✓
NVMe	✓	Smart card reader	V
SSD form factor	M.2	Windows Hello	1
SSD performance class	35	Trusted Platform Module (TPM)	✓
Optical drive type *	×	Trusted Platform Module (TPM)	2.0
Card reader integrated	Missaco (Tanas Flack) Missaco DUC	version	
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	Operational conditions Operating temperature (T.T.)	0.35 °C
Compatible memory cards Graphics		Operating temperature (T-T)	0 - 35 °C -40 - 65 °C
		•	
Graphics Discrete graphics card model * On-board graphics card *	MicroSDXC	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-40 - 65 °C 10 - 90% 0 - 95%
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer	MicroSDXC Not available ✓ Intel	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card *	MicroSDXC Not available Intel	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model *	MicroSDXC Not available ✓ Intel	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio	MicroSDXC Not available Intel Intel Iris Xe Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio system	MicroSDXC Not available Intel Intel Iris Xe Graphics MaxxAudio	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio	MicroSDXC Not available Intel Intel Iris Xe Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio system Number of built-in speakers	MicroSDXC Not available ✓ Intel X Intel Iris Xe Graphics MaxxAudio 2	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	MicroSDXC Not available Intel Intel MaxxAudio Waves 2 W	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power	MicroSDXC Not available Intel Intel MaxxAudio Waves We Waves We was with a second with a seco	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone	MicroSDXC Not available Intel Intel MaxxAudio Waves 2 W 2	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera	MicroSDXC Not available Intel Intel MaxxAudio Waves 2 W 2	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric)	MicroSDXC Not available Intel Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W V 2.07 MP	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO 357.8 mm 233.3 mm 2.08 cm 2.28 cm
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera resolution	MicroSDXC Not available Intel Intel MaxxAudio Waves 2 W 2	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight *	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric)	MicroSDXC Not available Intel Intel Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2 2 1 1 1 1 1 1 1 1 1 1 1	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO 357.8 mm 233.3 mm 2.08 cm 2.28 cm 1.61 kg
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type	MicroSDXC Not available Intel Intel Intel Iris Xe Graphics MaxxAudio Waves Waves W 1 2 V 1 1 1 1 1 1 1 1 1 1 1 1	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO 357.8 mm 233.3 mm 2.08 cm 2.28 cm 1.61 kg
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera	MicroSDXC Not available Intel Intel Intel Iris Xe Graphics MaxxAudio Waves Waves W Intel Intel Iris Xe Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO 357.8 mm 233.3 mm 2.08 cm 2.28 cm 1.61 kg
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Infrared (IR) camera Privacy type	MicroSDXC Not available Intel Intel Intel Iris Xe Graphics MaxxAudio Waves Waves W V 2 1080 pixels Full HD 30 fps	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO 357.8 mm 233.3 mm 2.08 cm 2.28 cm 1.61 kg
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type Network	MicroSDXC Not available Intel Intel Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2 2 V 2.07 MP 1920 x 1080 pixels Full HD 30 fps V Privacy shutter	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO 357.8 mm 233.3 mm 2.08 cm 2.28 cm 1.61 kg
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Infrared (IR) camera Privacy type	MicroSDXC Not available Intel Intel Intel Iris Xe Graphics MaxxAudio Waves Waves W Intel Privacy shutter	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO 357.8 mm 233.3 mm 2.08 cm 2.28 cm 1.61 kg
Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Audio Audio Audio system Number of built-in speakers Speakers manufacturer Speaker power Built-in microphone Number of microphones Camera Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type Network	MicroSDXC Not available Intel Intel Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W 2 2 V 2.07 MP 1920 x 1080 pixels Full HD 30 fps V Privacy shutter	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Sustainability Sustainability Sustainability certificates Weight & dimensions Width Depth Height (front) Height (rear) Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G TCO 357.8 mm 233.3 mm 2.08 cm 2.28 cm 1.61 kg

Network **Carbon footprint** Carbon emissions, end-of-life (kg of 2 Wi-Fi data rate (max) 2400 Mbit/s CO2e) Antenna type 2x2 Total carbon emissions, w/o use WLAN controller model Intel Wi-Fi 6E AX211 286 phase (kg of CO2e) WLAN controller manufacturer Intel PAIA version 1.3.2 Ethernet LAN Ethernet LAN data rates 10,100,1000 Mbit/s



5397184806463

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.