


## TP-Link TL-WR902AC langaton reititin Nopea Ethernet Kaksitaajuus (2,4 GHz/5 GHz) Valkoinen

Tuotemerkki : TP-Link Tuotekoodi: TL-WR902AC V3

Tuotteen nimi: TL-WR902AC








WAN connection		Security	
Ethernet WAN *	1	DoS attack prevention	✓
DSL WAN *	×	Filtering	✓
SIM card slot *	×	IP address filtering	✓
3G/4G USB modem compatibility *	×	URL filtering	✓
Wireless LAN features		DMZ support	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Protocols	
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	DHCP client	<b>√</b>
WLAN data transfer rate (max) *	733 Mbit/s	DHCP server	<b>√</b>
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac),	Universal Plug and Play (UPnP)	1
WLAN data transfer rate (first band)	802.11b, 802.11g	Supported network protocols	-40 - 70
WLAN data transfer rate (second band)	433 Mbit/s	Design	
		Product colour	White
Network		Product type *	Portable router
Ethernet LAN *	✓	Certificates	
Ethernet LAN interface type *	Fast Ethernet	Certification	CE, FCC, RoHS
Ethernet LAN data rates	10,100 Mbit/s		CE, I CC, NOTIS
Cabling technology	10/100Base-T(X)	Packaging content	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u	Cables included	LAN (RJ-45), USB
		AC adapter included	•
Port forwarding	1	Quick start guide	<b>✓</b>
Port triggering	1	Antenna	
Dynamic DNS (DDNS)	✓	Antenna design *	Internal
VPN Passthrough	✓		11a 54M: -76dBm; 11ac VHT20
VPN support Receiver sensitivity	PPTP, L2TP, IPSec 11a 54M: -76dBm; 11ac VHT20 MCS8: -70dBm; 11ac VHT40 MCS9: -65.5dBm; 11ac VHT80 MCS9: -61.5dBm 2.4GHz: 11g 54M: -76dBm11n; HT20 MCS7: -74dBm; 11n HT40 MCS7: -71dBm	Receive power	MCS8: -70dBm; 11ac VHT40 MCS9: -65.5dBm; 11ac VHT80 MCS9: -61.5dBm, 2.4GHz: 11g 54M: -76dBm11n; HT20 MCS7: -74dBm; 11n HT40 MCS7: -71dBm
		Transmit power	CE:<20dBm(2.4GHz), <23dBm(5GHz)
		Power	
		Power source type *	AC


Mobile network		Power	
3G 4G	✓ ✓	Output voltage Output current	5 V 2 A
5G	×	Operational conditions	
Ports & interfaces  Ethernet LAN (RJ-45) ports * 1  USB port * ✓	✓	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 40 °C -40 - 70 °C 10 - 90% 5 - 90%
USB 2.0 ports quantity  Memory card slot(s)	1 X	System requirements	
DC-in jack	·	Windows operating systems supported	<b>✓</b>
Management features		Linux operating systems supported	✓
Quality of Service (QoS) support	✓	Mac operating systems supported	✓
Reset button	✓	Mac compatibility	/
WPS push button	✓	Weight & dimensions	
Security		Width	74 mm
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, WPS	Depth Height	67 mm 22 mm
Firewall	✓	Packaging data	
Firewall security Guest access Stateful Packet Inspection (SPI)	SPI	Package width Package depth Package height Package weight	110 mm 109 mm 81.5 mm 300 g





845973095666

0845973095666



6935364095673

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.