

Samsung S65VC computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LCD Black

Brand : Samsung

Product family: ViewFinity

Product code:
LS34C652VAUXEN

Product name : S65VC

Samsung S65VC. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: UltraWide Quad HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	86.4 cm (34")	Height adjustment *	✓
Display resolution *	3440 x 1440 pixels	Height adjustment	12 cm
HD type *	UltraWide Quad HD	Pivot	✗
Native aspect ratio *	21:9	Swivelling	✓
Display technology *	LCD	Swivel angle range	-30 - 30°
Panel type *	VA	Tilt adjustment	✓
Display brightness (typical)	350 cd/m ²	Tilt angle range	-2 - 20°
Display brightness (min)	280 cd/m ²	Picture-in-Picture	✓
Response time *	5 ms	Black eQualizer function	✗
Screen shape *	Curved		
Screen curvature rating	1000R		
Contrast ratio (typical) *	3000:1		
Dynamic contrast ratio marketing name	Mega DCR		
Maximum refresh rate *	100 Hz		
Refresh rate optimizor	✗		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	1.07 billion colours		
Viewable size, horizontal	79.7 cm		
Viewable size, vertical	33.4 cm		
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		
sRGB coverage (typical)	115%		
Quantum dot color technology	✗		
Performance		Power	
NVIDIA G-SYNC *	✗	Energy efficiency class (SDR) *	G
AMD FreeSync *	✓	Energy efficiency class (HDR) *	G
AMD FreeSync type	FreeSync	Energy consumption (SDR) per 1000 hours *	32 kWh
VESA Adaptive Sync support	✗	Energy consumption (HDR) per 1000 hours *	51 kWh
Flicker-free technology	✓	Power consumption (typical) *	32 W
Game mode	✗	Power consumption (max)	200 W
Smart modes	FPS, RPG, RTS	Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V
		Power supply type	Internal
		Energy efficiency scale	A to G
		European Product Registry for Energy Labelling (EPREL) code	1574244
		Operational conditions	
		Operating temperature (T-T)	10 - 40 °C
		Operating relative humidity (H-H)	10 - 80%
		Weight & dimensions	
		Width (with stand)	806.6 mm
		Depth (with stand)	241 mm
		Height (with stand)	561.5 mm
		Weight (with stand)	8.1 kg
		Width (without stand)	806.6 mm
		Depth (without stand)	125 mm

Performance		Weight & dimensions	
Windows operating systems supported	Windows 10	Height (without stand)	369.4 mm
		Weight (without stand)	5.3 kg
Multimedia		Packaging data	
RMS rated power	5 W	Stand type	HAS stand
Built-in speaker(s) *	✓	Package width	807 mm
Megapixel (approx.)	5 MP	Package depth	367 mm
Adaptive Sound Control (ASC)	✗	Package height	125 mm
Built-in camera *	✓	Package weight	10.6 kg
Design		Packaging content	
Market positioning *	Professional	Cables included	DisplayPort, HDMI, USB Type-A to USB Type-B
Product colour *	Black	Remote control included	✗
Feet colour	Black	Power cable length	1.5 m
Ports & interfaces		Sustainability	
Built-in USB hub *	✓	Sustainability certificates	TCO
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Other features	
USB upstream port type	USB Type-B	Low input lag	✗
Number of upstream ports	1	TV Plus	✗
USB Type-A downstream ports quantity	2	Works with Samsung Bixby	✗
USB Type-C downstream ports quantity	1	Wireless Dex support	✗
USB Type-C DisplayPort Alternate Mode	✓	Tap view	✗
USB Power Delivery (USB PD)	✓	Far-field voice interaction	✗
USB Power Delivery up to	90 W	Universal guide	✗
DVI port	✗	Multi View	✗
HDMI *	✓	Power consumption (DPMS)	0.5 W
HDMI ports quantity	1	Picture-by-Picture (PbP)	✓
HDMI version	2.0	Samsung Eye Saver Mode	✓
DisplayPorts quantity	1	Anynet + (HDMI-CEC)	✗
DisplayPort version	1.2	Daisy chain	✗
Headphone out *	✓	Video colour modes	Custom, Eco, Entertain, Game, Graphic, Original, Sports, Standard
Built-in KVM switch	✓	Eco Saving Plus	✗
HDCP	✓	Image size	Yes
HDCP version	2.2	Wireless display	✗
Network		Gray balance	No
Wi-Fi	✗	Disclaimer	✗
Bluetooth	✗	Factory tuning	No
Ethernet LAN	✓	Adaptive picture	✓
Ergonomics		Auto source switch	✓
VESA mounting *	✓	Off Timer Plus	✓
Panel mounting interface	100 x 100 mm	Knox vault	✗
Wall mountable	✓	Workspace	✗
		Uniformity correction	✗
		Virtual AIM point	✗



8806094974010

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date