

Brother PT-P710BTH etikettitulostin Lämpösiirto 180 x 360 DPI 20 mm/s Langallinen & langaton TZe Bluetooth

Tuotemerkki : Brother

Tuotekoodi: PT-P710BTH

Tuotteen nimi : PT-P710BTH

Brother PT-P710BTH. Nauhatyyppi: TZe. Tulostustekniikka: Lämpösiirto, Suurin resoluutio: 180 x 360 DPI, Tulostusnopeus: 20 mm/s. Yhteysteknologia: Langallinen & langaton. Akkuteknologia: Litiumioni (Li-Ion). Tuotteen väri: musta



| | | | |
|-------------------------------|------------------|-------------------------------------|--|
| Printing | | System requirements | |
| Print technology * | Thermal transfer | Windows operating systems supported | ✓ |
| Colour * | ✗ | Mobile operating systems supported | Android 4.4, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, iOS, iOS 10.0, iOS 11.0 |
| Maximum resolution * | 180 x 360 DPI | | |
| Print speed * | 20 mm/sec | | |
| Maximum printing width * | 2.4 cm | | |
| Maximum print height | 1.8 cm | | |
| Paper handling | | Operational conditions | |
| Autocutter | ✓ | Operating relative humidity (H-H) | 20 - 80% |
| Maximum label length | 0.499 m | Operating temperature (T-T) | 10 - 35 °C |
| Ports & interfaces | | Weight & dimensions | |
| Connectivity technology * | Wired & Wireless | Width | 128 mm |
| Ethernet LAN * | ✗ | Depth | 67 mm |
| Wi-Fi * | ✗ | Height | 128 mm |
| Bluetooth | ✓ | Weight | 670 g |
| Bluetooth version | 2.1+EDR | Packaging data | |
| USB port * | ✓ | Quantity per pack | 1 pc(s) |
| USB 2.0 ports quantity | 1 | Package width | 198 mm |
| Performance | | Package depth | 98 mm |
| Tape type | TZe | Package height | 210 mm |
| Tape width | 2.4 cm | Package weight | 1.2 kg |
| Design | | Package type | Box |
| Product colour * | Black | Packaging content | |
| Built-in display | ✗ | Cables included | USB |
| Display * | ✗ | Bundled software | P-touch Editor Version 5 |
| | | AC adapter included | ✓ |
| | | Manual | ✓ |

Power

| | |
|--------------------|----------------------|
| Battery technology | Lithium-Ion (Li-Ion) |
| Auto power off | ✓ |
| Rechargeable | ✓ |

Logistics data

| | |
|-----------------------------|----------|
| Harmonized System (HS) code | 84433210 |
|-----------------------------|----------|

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date