

## Brother TD-2130NHC label printer 300 x 300 DPI 152 mm/sec Ethernet LAN

**Brand :** Brother

**Product code:** TD-2130NHC

**Product name :** TD-2130NHC

TD-2130NHC - 6 MB, USB 2.0, 10/100 Base-TX, 63 mm, 152.4 mm/s, 1.34kg  
Brother TD-2130NHC. Maximum resolution: 300 x 300 DPI, Print speed: 152 mm/sec. Product colour:  
Black, White



Printing		System requirements	
Maximum resolution *	300 x 300 DPI	Windows operating systems supported	Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64
Print speed *	152 mm/sec		
Maximum print height	5.6 cm		
Vertical printing	✓		
Paper handling		Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012
Maximum label width	6.3 cm		
Maximum label length	1 m		
Ports & interfaces			
Ethernet LAN *	✓		
USB port *	✓		
USB 2.0 ports quantity	1		
Performance			
Page description languages	BPL, ESC P		
Flash memory	6 MB		
Built-in barcodes	AZTECCODE, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code-128 Codabar Library, Data Matrix, EAN128, EAN13, EAN8, GS1 DataBar, GS1 DataBar Expanded, GS1 DataBar Limited, GS1-128, ISBN-2, ISBN-5, ITF-25, MaxiCode, Micro QR Code, MicroPDF417, PDF417, POSTNET, QR Code, UPC-A, UPC-E		
Number of fonts	8		
Design			
Product colour *	Black, White		
		Operational conditions	
		Operating relative humidity (H-H)	20 - 80%
		Storage relative humidity (H-H)	20 - 80%
		Operating temperature (T-T)	5 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C

Power		Weight & dimensions	
AC input voltage	100 - 240 V	Width	110 mm
AC input frequency	50 - 60 Hz	Depth	215 mm
Auto power off	✓	Height	172 mm
Rechargeable	✓	Weight	1.34 kg
Packaging content			
Cables included		USB	
Bundled software		P-touch Editor 5 BR Admin Light	
Quick start guide	✓		
AC adapter included	✓		
Logistics data			
Harmonized System (HS) code		84433210	
Other features			
Label memory		99 label(s)	



4977766749572



4977766749596

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.