


## Brother TD-4650TNWB etikettitulostin Suoralämpö/Lämpösiirto 203 x 203 DPI 203,2 mm/s Langallinen & langaton Ethernet LAN Wi-Fi Bluetooth

Tuotemerkki: Brother Tuotekoodi: TD-4650TNWB

Tuotteen nimi: TD-4650TNWB







Printing		System requirements	
Print technology * Colour *	Direct thermal / Thermal transfer	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Maximum resolution * Print speed * Maximum printing width * Maximum print length	203 x 203 DPI 203.2 mm/sec 10.8 cm 25.4 m	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.7 Lion, Mac
Paper handling			OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Maximum label width Maximum roll diameter  Ports & interfaces	11.2 cm 12.7 cm	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2,
Connectivity technology *	Wired & Wireless		Windows Server 2016
Ethernet LAN *	Wired & Wireless ✓	Linux operating systems supported	<b>✓</b>
Wi-Fi *	<b>v</b>	Operational conditions	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 40% 25 - 85%
Bluetooth	✓	Operating temperature (T-T) Storage temperature (T-T)	-40 - 60 °C 10 - 90 °C
Bluetooth version	4.2	Weight & dimensions	10 30 0
USB port *	•	Width	219 mm
USB 2.0 ports quantity RS-232 ports	1	Depth	285 mm
	1	Height	191 mm
Performance		Weight	3 kg
Internal memory Flash memory	128 MB 128 MB	Packaging content	
		Cables included Bundled software Quick start guide AC adapter included	AC, USB Bartender Ultra Lite Edition

Performance		Packaging content	
Built-in barcodes	AZTECCODE, CODABAR (NW-7), Code 11, Code 128 (A/B/C), Code 39, Code 49, Code 93, Code-128 Codabar Library, EAN128, EAN13, EAN8, GS1 DataBar, ITF-14, Interleaved 2/5, MaxiCode, MicroPDF417, PDF417, POSTNET, QR Code, UPC-A, UPC-E	Software development kit (SDK)	✓
		Logistics data	
		Harmonized System (HS) code	84433210
		Technical details	
		Sustainability certificates	ENERGY STAR
Design		Other features	
Product colour *	Black	Languages support	Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Norwegian, Portuguese, Slovenian
Built-in display	✓		
Display *	LCD		
Display diagonal	5.84 cm (2.3")		
Colour display	✓		
Control type	Buttons		

