


## DELL Precision 5480 Intel® Core™ i7 i7-13700H Mobiilityöasema 35,6 cm (14") Full HD+ 16 GB LPDDR5-SDRAM 512 GB SSD NVIDIA RTX A1000 Wi-Fi 6E (802.11ax) Windows 11 Pro Harmaa

Tuotemerkki: DELL Tuoteperhe: Precision Tuotekoodi: JRPPW

Tuotteen nimi: 5480







Design		Network	
Product type * Product colour * Form factor * Intel® vPro™ Platform Eligibility	Mobile workstation Grey Clamshell ✔	Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN	2x2 Intel Wi-Fi 6E AX211 Intel
Display		Bluetooth	✓
Display diagonal * Display resolution *	35.6 cm (14") 1920 x 1200 pixels	MIMO MIMO type	✓ Multi User MIMO
Touchscreen *	×	Ports & interfaces	
HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel pitch Pixel density RGB colour space Colour gamut Display response rise/fall Contrast ratio (typical)	Full HD+ WVA  16:10  500 cd/m² 0.1578 x 0.1578 mm 161 ppi sRGB 100% 35 ms 1000:1	Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port Charging port type USB Type-C DisplayPort Alternate Mode  Performance Ambient light sensor Accelerometer Hall sensor  Keyboard	4  ✓  ✓  USB Type-C  ✓
Processor		Pointing device	Touchpad
Processor manufacturer * Intel  Processor family * Intel® Core™ i7  Processor generation 13th gen Intel® Core™ i7	Intel® Core™ i7	Keyboard language Numeric keypad * Keyboard backlit	Nordic × ✓
Processor model * Processor cores	17-13700H 14	Software	
Processor threads	20	Operating system architecture Operating system language	64-bit Multilingual

Dracaccar		Software	
Processor	r. Cl.	Software	No Missos of Office Lisanes Included
Processor boost frequency Performance cores	5 GHz 6	Trial software	No Microsoft Office License Included 30 day Trial Offer Only
Efficient cores	8	Operating system installed *	Windows 11 Pro
Performance-core Max Turbo		Bundled software	Windows System Driver
Frequency	5 GHz	Processor special features	
Efficient-core Max Turbo Frequency		CPU configuration (max)	1
Processor cache	24 MB	Battery	
Processor cache type Configurable TDP-down	Smart Cache 35 W	Battery technology	Lithium-lon (Li-lon)
Processor base power	45 W	Number of battery cells	4
Maximum turbo power	115 W	Battery capacity *	72 Wh
Memory		Battery voltage	15.4 V
Internal memory *	16 GB	Battery recharge time	3 h
Internal memory type	LPDDR5-SDRAM	Fast charging	✓
Memory clock speed	6000 MHz	Battery weight	285 g
Memory form factor	On-board	Power	
Maximum internal memory *	16 GB	AC adapter power	130 W
Storage		AC adapter frequency	50/60 Hz
Total storage capacity *	512 GB	AC adapter input voltage	100 - 240 V
Storage media *	SSD	USB Power Delivery (USB PD) *	<b>✓</b>
Total SSDs capacity	512 GB	USB charging voltage	20,5 V
Number of SSDs installed	1	USB charging current	6.5 A
SSD capacity	512 GB	Security	
SSD interface	PCI Express 4.0	Cable lock slot	✓
NVMe SSD form factor	M.2	Cable lock slot type	Wedge
SSD performance class	40	Trusted Platform Module (TPM)	<b>✓</b>
Optical drive type *	×	Trusted Platform Module (TPM) version	2.0
Card reader integrated	<b>✓</b>		
3		Operational conditions	
Compatible memory cards	MicroSD (TransFlash)	On a section at the second constitute (T.T.)	0. 35.00
	MicroSD (TransFlash)	Operating temperature (T-T) Storage temperature (T-T)	0 - 35 °C -40 - 65 °C
Graphics		Storage temperature (T-T)	0 - 35 °C -40 - 65 °C 10 - 90%
	MicroSD (TransFlash)  NVIDIA  NVIDIA RTX A1000		-40 - 65 °C
<b>Graphics</b> Discrete GPU manufacturer	NVIDIA	Storage temperature (T-T) Operating relative humidity (H-H)	-40 - 65 °C 10 - 90%
Graphics  Discrete GPU manufacturer  Discrete graphics card model *	NVIDIA NVIDIA RTX A1000	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-40 - 65 °C 10 - 90% 0 - 95%
Graphics  Discrete GPU manufacturer  Discrete graphics card model *  Discrete graphics card memory	NVIDIA NVIDIA RTX A1000 6 GB	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G
Graphics  Discrete GPU manufacturer  Discrete graphics card model *  Discrete graphics card memory  Discrete graphics memory type	NVIDIA NVIDIA RTX A1000 6 GB	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card *	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Graphics  Discrete GPU manufacturer  Discrete graphics card model *  Discrete graphics card memory  Discrete graphics memory type  On-board graphics card *  On-board GPU manufacturer  Discrete graphics card *  On-board graphics card family  On-board graphics card model *	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model *  Audio	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model *  Audio Audio chip	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics Intel Iris Xe Graphics	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration Weight & dimensions Width	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers Built-in microphone	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics Realtek ALC711-VD 4	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 310.6 mm 210.3 mm 7.49 mm
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 310.6 mm 210.3 mm 7.49 mm 1.11 cm
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones  Camera	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics Realtek ALC711-VD 4	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 310.6 mm 210.3 mm 7.49 mm 1.11 cm
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family Audio Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics Realtek ALC711-VD 4	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 310.6 mm 210.3 mm 7.49 mm 1.11 cm 1.48 kg
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric)	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics Realtek ALC711-VD 4  0.92 MP	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 310.6 mm 210.3 mm 7.49 mm 1.11 cm 1.48 kg
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera resolution	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics  Realtek ALC711-VD 4  O.92 MP 1280 x 720 pixels	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G 310.6 mm 210.3 mm 7.49 mm 1.11 cm 1.48 kg
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric)	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel Intel Iris Xe Graphics Intel Iris Xe Graphics Realtek ALC711-VD 4  0.92 MP	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G  310.6 mm 210.3 mm 7.49 mm 1.11 cm 1.48 kg
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera HD type	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  Realtek ALC711-VD 4  O.92 MP 1280 x 720 pixels HD	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, logistics (kg of CO2e)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G  310.6 mm 210.3 mm 7.49 mm 1.11 cm 1.48 kg
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics card memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera HD type Video capturing speed	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  Realtek ALC711-VD 4  O.92 MP 1280 x 720 pixels HD 30 fps	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G  310.6 mm 210.3 mm 7.49 mm 1.11 cm 1.48 kg
Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card family On-board graphics card model *  Audio Audio chip Number of built-in speakers Built-in microphone Number of microphones  Camera  Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera	NVIDIA NVIDIA RTX A1000 6 GB GDDR6  Intel  Intel Iris Xe Graphics Intel Iris Xe Graphics  Realtek ALC711-VD 4  O.92 MP 1280 x 720 pixels HD 30 fps	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Operating vibration Non-operating vibration  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Carbon footprint  Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G 0.66 G 1.3 G  310.6 mm 210.3 mm 7.49 mm 1.11 cm 1.48 kg

Network		Carbon footprint	
Mobile network connection * Wi-Fi data rate (max)	<b>X</b> 2400 Mbit/s	PAIA version	1.3.2
		Packaging content	
		Cables included	AC



5397184816912

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.