

StarTech.com PR42GI-NETWORK-CARD verkkokortti Sisäinen Ethernet 2500 Mbit/s

Tuotemerkki : StarTech.com

Tuotekoodi: PR42GI-NETWORK-CARD

Tuotteen nimi : PR42GI-NETWORK-CARD

StarTech.com PR42GI-NETWORK-CARD. Sisäinen. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: PCI Express, Käyttöliittymä: Ethernet. Tiedonsiirron enimmäisnopeus: 2500 Mbit/s. Tuotteen väri: musta



Ports & interfaces		System requirements	
Connectivity technology *	Wired		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64
Host interface *	PCI Express	Windows operating systems supported	
Interface *	Ethernet	Linux operating systems supported	✓
Ethernet LAN (RJ-45) ports	4	Server operating systems supported	Windows Server 2019, Windows Server 2022
PCI version	2.0		
Network		Operational conditions	
Maximum data transfer rate *	2500 Mbit/s	Operating temperature (T-T)	0 - 55 °C
Networking standards *	IEEE 1588, IEEE 802.1Q, IEEE 802.1as, IEEE 802.1p, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3i, IEEE 802.3u	Storage temperature (T-T)	-10 - 70 °C
Ethernet LAN	✓	Operating relative humidity (H-H)	5 - 90%
Ethernet interface type	2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet	Weight & dimensions	
Ethernet LAN data rates	10,100,1000,2000,2500 Mbit/s	Width	180 mm
Copper ethernet cabling technology	10BASE-TX, 100BASE-TX, 1000BASE-T, 2500BASE-T	Depth	120 mm
Wake-on-LAN ready	✓	Height	22 mm
Auto MDIX IEEE	✓	Weight	100 g
Full duplex	✓	Packaging data	
Jumbo frames support	✓	Low-profile bracket	✓
Jumbo frames	9000	Package width	170 mm
Quality of Service (QoS) support	✓	Package depth	142 mm
VLAN tagging	✓	Package height	30 mm
Design		Package weight	130 g
Component for *	PC/Server		
Product colour	Black		
Internal *	✓		

Design		Packaging content	
Chipset	Intel I225-V	Quick installation guide	✓
LED indicators	Activity, Link	Logistics data	
		Master (outer) case width	605 mm
		Master (outer) case length	325 mm
		Master (outer) case height	385 mm
		Products per master (outer) case	80 pc(s)



0065030898157



065030898157

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.