

DELL Precision 7780 Intel® Core™ i7 i7-13850HX Mobile workstation 43.9 cm (17.3") Full HD 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX 3500 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Grey

Brand : DELL Product family: Precision Product code: 04K7F

Product name: 7780

DELL Precision 7780. Product type: Mobile workstation, Form factor: Clamshell. Processor family: Intel® Core™ i7, Processor model: i7-13850HX. Display diagonal: 43.9 cm (17.3"), HD type: Full HD, Display resolution: 1920 x 1080 pixels. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 1 TB, Storage media: SSD. On-board graphics card model: Intel® UHD Graphics, Discrete graphics card model: NVIDIA RTX 3500 Ada. Operating system installed: Windows 11 Pro. Product colour: Grey





Design		Ports & interfaces	
Product type * Product colour * Form factor * Market positioning Intel® vPro™ Platform Eligibility	Mobile workstation Grey Clamshell Business	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity Ethernet LAN (RJ-45) ports HDMI ports quantity * Thunderbolt 4 ports quantity	1 1 1 2
Display Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio	43.9 cm (17.3") 1920 x 1080 pixels X Full HD WVA 16:9	Intel® Thunderbolt 4 Combo headphone/mic port Charging port type Power adapter barrel connector USB Type-C DisplayPort Alternate Mode PowerShare Number of USB ports with PowerShare support	DC-in jack 7.4 mm
Anti-glare screen Display brightness Pixel density RGB colour space Colour gamut	✓ 500 cd/m² 127 ppi DCI-P3 99%	Performance Ambient light sensor Accelerometer Hall sensor	* * *
Maximum refresh rate Contrast ratio (typical) Processor Processor manufacturer *	60 Hz 1000:1	Keyboard Pointing device Keyboard language Numeric keypad *	Touchpad Nordic
Processor family * Processor generation Processor model *	Intel® Core™ i7 13th gen Intel® Core™ i7 i7-13850HX	Keyboard backlit Keyboard number of keys Software	100
Performance-core Max Turbo Frequency Efficient-core Max Turbo Frequency Processor cache Processor cache type	30 MB Smart Cache	Operating system architecture Operating system language Trial software Operating system installed *	64-bit Multilingual No Microsoft Office License Included 30 day Trial Offer Only Windows 11 Pro
Bus type Configurable TDP-down Memory Internal memory *	DMI4 45 W	Processor special features CPU configuration (max) Battery	1
Internal memory type	DDR5-SDRAM	Battery technology	Lithium-lon (Li-lon)

Memory Battery Memory clock speed 5600 MHz Number of battery cells 6 Memory form factor CAMM module Battery capacity* 93 Wh Memory layout (slots x size) 1 x 32 GB Battery voltage 11.55 V Maximum internal memory* 128 GB Battery recharge time 3 h Non-ECC ✓ Fast charging ✓ Storage Battery weight 410 g Total storage capacity* 1 TB Battery weight 410 g Storage media* SSD Power Total SSDs capacity 1 TB AC adapter power 240 W Number of SSDs installed 1 AC adapter frequency 50 -60 Hz SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe ✓ Security SSD form factor M.2 Cable lock slot ✓ Optical drive type * X Cable lock slot type Wedge Card reader integrated ✓ Smart card reader ✓ Compatible memory cards SD, SDHC, SDXC Trusted Platform Module (TPM) ✓ Discrete graphics card model * NVIDIA RTX 3500 Ada
Memory form factor CAMM module Battery capacity * 93 Wh Memory layout (slots x size) 1 x 32 GB Battery voltage 11.55 V Maximum internal memory * 128 GB Battery recharge time 3 h Non-ECC ✓ Fast charging ✓ Storage Battery charge indicator ✓ Storage capacity * 1 TB Battery weight 410 g Storage media * SSD Power Total SSDs capacity 1 TB AC adapter power 240 W Number of SSDs installed 1 AC adapter power 50 - 60 Hz SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter input voltage 100 - 240 V SSD form factor M.2 Security SSD form factor M.2 Cable lock slot ✓ Optical drive type * X Cable lock slot ✓ Card reader integrated ✓ Smart card reader ✓ Compatible memory cards SD, SDHC, SDXC Trusted Platform Module (TPM) ✓ Graphics Trusted Platform Module (TPM) ✓ Discrete graphics card memory 12 GB Password protection ✓ Operational conditio
Memory layout (slots x size) 1 x 32 GB Battery voltage 11.55 V Maximum internal memory * 128 GB Battery recharge time 3 h Non-ECC ✓ Fast charging ✓ Storage Battery charge indicator ✓ Storage capacity * 1 TB Battery weight 410 g Storage media * SSD Power Total SSDs capacity 1 TB AC adapter power 240 W Number of SSDs installed 1 AC adapter power 20 W SSD capacity 1 TB AC adapter frequency 50 - 60 Hz SSD interface PCI Express AC adapter input voltage 100 - 240 V SSD form factor M.2 Security SSD form factor M.2 Cable lock slot ✓ Optical drive type * X Cable lock slot type Wedge Card reader integrated ✓ Smart card reader ✓ Compatible memory cards SD, SDHC, SDXC Trusted Platform Module (TPM) ✓ Graphics NVIDIA RTX 3500 Ada version ✓ Discrete graphics card memory type GDDR6
Maximum internal memory* 128 GB Battery recharge time 3 h Non-ECC ✓ Fast charging ✓ Storage Battery charge indicator ✓ Total storage capacity* 1 TB Battery weight 410 g Storage media* SSD Power Total SSDs capacity 1 TB AC adapter power 240 W Number of SSDs installed 1 AC adapter frequency 50 - 60 Hz SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe ✓ Security SSD form factor M.2 Cable lock slot ✓ Optical drive type * X Cable lock slot type Wedge Card reader integrated ✓ Smart card reader ✓ Compatible memory cards SD, SDHC, SDXC Trusted Platform Module (TPM) ✓ Graphics Trusted Platform Module (TPM) 2.0 Discrete graphics card model * NVIDIA RTX 3500 Ada NVIDIA RTX 3500 Ada Password protection ✓ Operational conditions
Non-ECC Y Fast charging Y Storage Battery charge indicator Y Total storage capacity* 1 TB Battery weight 410 g Storage media* SSD Power Total SSDs capacity 1 TB AC adapter power 240 W Number of SSDs installed 1 AC adapter frequency 50 - 60 Hz SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe Y Security SSD form factor M.2 Cable lock slot Y Optical drive type * X Cable lock slot type Wedge Card reader integrated Y Smart card reader Y Compatible memory cards SD, SDHC, SDXC Trusted Platform Module (TPM) Y Graphics Trusted Platform Module (TPM) Y Discrete graphics card model * NVIDIA RTX 3500 Ada version Y Discrete graphics memory type GDDR6 Operational conditions
Storage Total storage capacity * 1 TB Storage media * SSD Power Total SSDs capacity 1 TB Number of SSDs installed 1 AC adapter power 240 W Number of SSDs installed 1 AC adapter frequency 50 - 60 Hz SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe SSD form factor M.2 Cable lock slot Cable lock slot Compatible memory cards SD, SDHC, SDXC Graphics Frusted Platform Module (TPM) Discrete graphics card model * NVIDIA RTX 3500 Ada Discrete graphics card memory type Convertige and conditions SED form factor M12 GB Discrete graphics card specific for any service of the conditions Operational conditions
Total storage capacity * 1 TB Storage media * SSD Total SSDs capacity 1 TB AC adapter power 240 W Number of SSDs installed 1 AC adapter frequency 50 - 60 Hz SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe SSD form factor M.2 Cable lock slot Cable lock slot Cable lock slot type Wedge Card reader integrated Compatible memory cards SD, SDHC, SDXC Graphics Discrete graphics card model * NVIDIA RTX 3500 Ada Password protection Discrete graphics card memory type Converse graphics card * Converse card *
Storage media * SSD Power Total SSDs capacity 1 TB AC adapter power 240 W Number of SSDs installed 1 AC adapter frequency 50 - 60 Hz SSD capacity 1 TB AC adapter frequency 50 - 60 Hz SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe SEcurity SSD form factor M.2 Cable lock slot Cable lock slot Cable lock slot type Wedge Card reader integrated Compatible memory cards SD, SDHC, SDXC Graphics Discrete graphics card model * NVIDIA RTX 3500 Ada version
Total SSDs capacity 1 TB AC adapter power 240 W Number of SSDs installed 1 AC adapter frequency 50 - 60 Hz SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe Security SSD form factor M.2 Optical drive type * X Card reader integrated ✓ Compatible memory cards SD, SDHC, SDXC Graphics Discrete graphics card model * NVIDIA RTX 3500 Ada Discrete graphics card memory type GDDR6 Operational conditions AC adapter power 50 - 60 Hz AC adapter power 50 - 60 Hz AC adapter input voltage 100 - 240 V Security Security Cable lock slot ✓ Cable lock slot type Wedge Smart card reader ✓ Trusted Platform Module (TPM) ✓ Trusted Platform Module (TPM) ✓ Password protection ✓ Operational conditions
Number of SSDs installed 1 AC adapter frequency SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe Security SSD form factor Optical drive type * Card reader integrated Compatible memory cards SD, SDHC, SDXC Graphics Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type GDDR6 Operational conditions AC adapter frequency 50 - 60 Hz 100 - 240 V 60 Hz 12.3 A V Cable lock slot Cable lock slot type Wedge Smart card reader Trusted Platform Module (TPM) Version 2.0 Operational conditions
SSD capacity 1 TB AC adapter input voltage 100 - 240 V SSD interface PCI Express AC adapter output current 12.3 A NVMe Security SSD form factor M.2 Optical drive type * X Cable lock slot
SSD interface PCI Express AC adapter output current 12.3 A NVMe Security SSD form factor Optical drive type * Card reader integrated Compatible memory cards Discrete graphics card model * Discrete graphics card memory Discrete graphics card memory type GDDR6 Operational conditions AC adapter output current 12.3 A AC adapter output current 12.3 A Cable lock slot Cable lock slot type Wedge Smart card reader Trusted Platform Module (TPM) Version Password protection Operational conditions
NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards SD, SDHC, SDXC Graphics Discrete graphics card model * Discrete graphics card memory Discrete graphics card memory Discrete graphics memory type GDDR6 Operational conditions Security Cable lock slot Cable lock slot type Wedge Smart card reader Trusted Platform Module (TPM) version 2.0 Operational conditions
SSD form factor M.2 Cable lock slot Cable lock slot Cable lock slot type Wedge Smart card reader Compatible memory cards SD, SDHC, SDXC Trusted Platform Module (TPM) Discrete graphics card model* NVIDIA RTX 3500 Ada Discrete graphics card memory Discrete graphics memory type GDDR6 Operational conditions
Optical drive type * X Cable lock slot
Card reader integrated Compatible memory cards SD, SDHC, SDXC Trusted Platform Module (TPM) Trusted Platform Module (TPM) Version Discrete graphics card memory Discrete graphics card memory Compatible memory type Cable lock slot type Wedge Trusted Platform Module (TPM) Version Password Platform Module (TPM) Version Operational conditions Operational conditions
Card reader integrated Compatible memory cards SD, SDHC, SDXC Trusted Platform Module (TPM) Trusted Platform Module (TPM) Discrete graphics card model * Discrete graphics card memory Discrete graphics card memory Discrete graphics memory type GDDR6 Operational conditions
Trusted Platform Module (TPM) Trusted Platform Module (TPM) Trusted Platform Module (TPM) Trusted Platform Module (TPM) 2.0 Discrete graphics card model * NVIDIA RTX 3500 Ada version Discrete graphics card memory 12 GB Password protection Operational conditions Operational conditions
Graphics Discrete graphics card model * NVIDIA RTX 3500 Ada version 2.0 Discrete graphics card memory 12 GB Password protection ✓ Discrete graphics memory type GDDR6 Operational conditions
Discrete graphics card model * NVIDIA RTX 3500 Ada version Discrete graphics card memory 12 GB Password protection ✓ Discrete graphics memory type GDDR6 Operational conditions
Discrete graphics memory type GDDR6 On-hoard graphics card *
On-hoard graphics card *
On hoard graphics card *
On-board GPU manufacturer Intel Storage temperature (T-T) -40 - 65 °C
Discrete graphics card * ✓ Operating relative humidity (H-H) 10 - 90%
On-board graphics card model * Intel® UHD Graphics Storage relative humidity (H-H) 0 - 95%
Audio Operating altitude -15.2 - 3048 m
Audio chip Realtek ALC3281 Non-operating altitude -15.2 - 10668 m
Number of built-in speakers 2 Operating shock 110 G
Speaker power 2 W Non-operating shock 160 G
Built-in microphone Operating vibration 0.66 G
Number of microphones 2 Non-operating vibration 1.3 G
Camera Weight & dimensions
Front camera Width 398 mm
Front camera resolution (numeric) 0.92 MP
Front camera resolution 1920 x 1080 pixels Height (front) 2.6 cm
Front camera HD type Full HD Height (rear) 2.07 Cm
Video capturing speed 30 fps Weight * 3.02 kg
Infrared (IR) camera Carbon footprint
Total carbon footprint (kg of CO2e) 510
Network Total carbon emissions, standard Total (arbon emissions, standard 104)
deviation (kg of CO2e)
802.11a, 802.11b, 802.11g, Wi-Fi 4 Carbon emissions, manufacturing Wi-Fi standards (802.11ar), Wi-Fi 5 (802.11ac), Wi-Fi (kg of CO2e) 6E (802.11ax) Carbon emissions, logistics (kg of
Mobile network connection * X Carbon emissions, logistics (kg of CO2e)
Wi-Fi data rate (max) 2400 Mbit/s Carbon emissions, energy usage (kg 85
Antenna type 2x2 of CO2e)
WLAN controller model Intel Wi-Fi 6E AX211 Carbon emissions, end-of-life (kg of CO2e) 2
WLAN controller manufacturer Intel Total carbon emissions, w/o use
Ethernet LAN Phase (kg of CO2e)
Ethernet LAN data rates 10,100,1000 Mbit/s PAIA version 1.3.2
Bluetooth Packaging content
Ports & interfaces Cables included AC
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *



5397184809990

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.