



ASUS PRIME A620M-K AMD A620 Socket AM5 micro ATX

Brand : ASUS

Product code: 90MB1F40-M0EAY0

Product name : PRIME A620M-K

- AMD AM5 Socket: Ready for AMD Ryzen™ 7000 Series Desktop Processors
 - Ultrafast Connectivity: PCIe 4.0, 64Gbps M.2 slot, Realtek 1Gb Ethernet, USB 3.2 Gen 1 Type-A
 - Comprehensive Cooling: PCH heatsink and Fan Xpert
 - Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB header for RGB LED strips, easily synced with Aura Sync-capable hardware
 - Two-way AI Noise Cancellation: Reduces background noise from the microphone and audio output for crystal-clear communication in games or video conferences
- AMD A620, AM5, 2 x DIMM DDR5, Gigabit Ethernet, 256 Mb Flash ROM, UEFI AMI BIOS, micro-ATX



Processor		Internal I/O	
Processor manufacturer *	AMD	12V power connector	✓
Processor socket *	Socket AM5	Rear panel I/O ports	
Compatible processor series *	AMD Ryzen 7000 Series	USB 2.0 ports quantity *	2
Supported processor sockets	Socket AM5	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Memory		Ethernet LAN (RJ-45) ports *	1
Supported memory types *	DDR5-SDRAM	PS/2 ports quantity	1
Number of memory slots *	2	VGA (D-Sub) ports quantity *	1
Memory channels	Dual-channel	HDMI ports quantity *	1
ECC compatibility	Non-ECC	Network	
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200,6400 MHz	Ethernet LAN	✓
Maximum internal memory *	96 GB	Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Unbuffered memory	✓	Wi-Fi *	✗
Storage controllers		Features	
Supported storage drive types	HDD & SSD	Motherboard chipset *	AMD A620
Supported storage drive interfaces *	M.2, SATA III	Audio output channels *	7.1 channels
Number of HDDs supported	4	Component for *	PC
Number of storage drives supported	5	Motherboard form factor *	micro ATX
Internal I/O		Motherboard chipset family *	AMD
USB 2.0 connectors *	2	Windows operating systems supported	Windows 10 x64, Windows 11
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Expansion slots	
Number of SATA III connectors *	4	PCI Express x1 (Gen 3.x) slots	1
S/PDIF out connector	✓	Number of M.2 (M) slots	1
Front panel audio connector	✓	BIOS	
ATX Power connector (24-pin)	✓	BIOS type *	UEFI AMI
CPU fan connector	✓	BIOS memory size	256 Mbit
Number of chassis fan connectors	1		
EPS power connector (8-pin)	✓		

Internal I/O		Packaging data	
Number of COM connectors	1	Package width	260 mm
TPM connector	✓	Package depth	270 mm
		Package height	51.5 mm
		Package weight	920 g
Weight & dimensions			
		Width	226 mm
		Depth	221 mm



4711387242087

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date