ASUS PRIME A620M-K AMD A620 Pistoke AM5 mikro ATX

Tuotemerkki : ASUS

Tuotekoodi: 90MB1F40-M0EAY0

Tuotteen nimi : PRIME A620M-K

ASUS PRIME A620M-K. Suoritinvalmistaja: AMD, Prosessorin kanta: Pistoke AM5, Yhteensopivat prosessorit: AMD Ryzen 7000 Series. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 96 GB, Muistikanavat: Kaksikanava. Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyypit: HDD & SSD. Ethernet-liitännän tyyppi: Nopea Ethernet, Gigabitti Ethernet. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: AMD





Processor		Internal I/O	
Processor manufacturer *	AMD	12V power connector	✓
Processor socket *	Socket AM5	Rear panel I/O ports	
Compatible processor series *	AMD Ryzen 7000 Series	USB 2.0 ports quantity *	2
Supported processor sockets	Socket AM5	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	4
Memory		ports quantity *	4
	DDR5-SDRAM 2	Ethernet LAN (RJ-45) ports *	1
•	2 Dual-channel	PS/2 ports quantity	1
ECC compatibility	Non-ECC	VGA (D-Sub) ports quantity *	1
	4800,5000,5200,5400,5600,5800,6000,6200,6400 MHz	HDMI ports quantity *	1
	96 GB	Network	
Unbuffered memory	✓	Ethernet LAN	✓
Storage controllers		Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Supported storage drive types	HDD & SSD	Wi-Fi *	×
Supported storage drive interfac	ces * M.2, SATA III	Features	
Number of HDDs supported	4	Motherboard chipset *	AMD A620
Number of storage drives suppo	orted 5	Audio output channels *	7.1 channels
Internal I/O		Component for *	PC
USB 2.0 connectors *	2	Motherboard form factor *	micro ATX
USB 3.2 Gen 1 (3.1 Gen 1)	1	Motherboard chipset family *	AMD
connectors *	-	Windows operating systems supported	Windows 10 x64, Windows 11
Number of SATA III connectors *	* 4		
S/PDIF out connector		Expansion slots	
Front panel audio connector	v	PCI Express x1 (Gen 3.x) slots	1
ATX Power connector (24-pin)	1	Number of M.2 (M) slots	1
CPU fan connector	1	BIOS	
Number of chassis fan connecto	ors 1	BIOS type *	UEFI AMI
EPS power connector (8-pin)	 Image: A set of the set of the	BIOS memory size	256 Mbit

Internal I/O		Packaging data	
Number of COM connectors	1	Package width	260 mm
TPM connector	•	Package depth	270 mm
		Package height	51.5 mm
		Package weight	920 g
		Weight & dimensions	
		Width	226 mm

Depth

221 mm

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date



4711387242087

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.