ASUS Dual -RX7600-O8G-V2 AMD Radeon RX 7600 8 GB GDDR6

Brand : ASUS **Product family:** Dual **Product code:** 90YV0IH2-M0NA00

Product name: DUAL-RX7600-

08G-V2

- OC mode: Up to 2715 MHz (Boost Clock)/up to 2300 MHz (Game Clock)
- Axial-tech fan design features a smaller fan hub to increase airflow through the cooling array
- Dual ball fan bearings can last up to twice as long as sleeve bearing designs
- 2.5-slot design allows for greater build compatibility while maintaining premium cooling
- 0dB technology lets you enjoy light gaming in relative silence
- Auto-extreme precision automated manufacturing for higher reliability
- A stainless steel bracket is harder and more resistant to corrosion
- GPU Tweak III software provides intuitive performance tweaking, thermal controls, and system monitoring

Dual Radeon RX 7600 OC Edition 8GB GDDR6 optimized inside and out for lower temps and durability





Processor Performance Graphics processor * Radeon RX 7600 HDCP * Processor boost clock speed 2695 MHz HDCP version 2.3 Processor boost clock speed (Oc mode) 2715 MHz Dual Link DVI * X Processor boost clock speed (Oc mode) 2300 MHz MVIDIA G-SYNC X Processor boost clock speed (Oc mode) 7680 x 4320 pixels Design * Parallel processing technology support * Not supported Cooling type * Active Stream processors 2048 Cooling technology ASUS Axial-tech Maximum displays per videocard 4 Number of fans 2 fan(s) Memory 8 GB Profuct factor Full-Height/Half-Length (FH/HL) Discrete graphics card memory type * 8 GB Product colour Black Beach Power Memory bus * 128 bit Power Discrete graphics card memory type * 18 Gbit/s Minimum system power supply * 550 W Total transfer rate 18 Gbit/s Minimum system power supply * 550 W Block interface type * PCI Express 4.0 <				
Graphics processor * Radeon RX 7600 HDCP ✓ Processor boost clock speed (Octode) 2695 MHz HDCP version 2,3 Processor boost clock speed (Octode) 2715 MHz Dual Link DVI * X Processor boost clock speed (Gaming mode) 2300 MHz AMD FreeSynC X Maximum resolution * 7680 x 4320 pixels Design X Parallel processing technology support * Not supported Cooling technology ASUS Axial-tech Stream processors 2048 Cooling technology ASUS Axial-tech Maximum displays per videocard 4 Number of fans 2 fan(s) Memory Form factor Full-Height/Half-Length (FH/HL) Number of slots 2.5 Discrete graphics card memory type * 8 GB Product colour Black Graphics card memory type * GDDR6 Power Very Cool Memory bus * 128 bit Niminum system power supply * 550 W Data transfer rate PCI Express 4.0 Weight & dimensions 1x 8-pin HDMI yersion 2.1 Length 205	Processor		Performance	
Processor boost clock speed (OC mode) 2695 MHz HDCP version 2.3 Processor boost clock speed (OC mode) 2715 MHz Dual Link DVI* × Processor boost clock speed (Gaming mode) 2300 MHz AMD FreeSync × Maximum resolution* 7680 x 4320 pixels Design X Parallel processing technology support* Not supported Cooling type * Active Stream processors 2048 Cooling technology ASUS Axial-tech Maximum displays per videocard 4 Number of fans 2 fan(s) Memory Form factor Full-Height/Half-Length (FH/HL Number of slots) 2.5 Discrete graphics card memory * 8 GB Product colour Black Graphics card memory type * 6DDR6 Power Memory bus * 18 Gbit/s Minimum system power supply * 550 W Ports & interfaces Y Supplementary power connectors 1x 8-pin HDMI ports quantity * 1 Length 630 g HDMI version 2.1 Length 205 mm DisplayPorts quantity * 3 Depth 49 mm DisplayPort vers	Graphics processor family *	AMD	OpenGL version *	4.6
Processor boost clock speed (OC mode) 2715 MHz Dual Link DVI* X Processor boost clock speed (Gaming mode) 2300 MHz AMD FreeSync X Maximum resolution* 7680 x 4320 pixels Design X Parallel processing technology support* Not supported Cooling type * Active Stream processors 2048 Cooling technology ASUS Axial-tech Maximum displays per videocard 4 Number of fans 2 fan(s) Memory Form factor Full-Height/Half-Length (FH/HL Number of slots 2.5 Discrete graphics card memory * 8 GB Product colour Black Graphics card memory type * GDDR6 Power Black Memory bus * 128 bit S50 W S50 W Ports & interfaces 18 Gbit/s Minimum system power supply * 550 W Ports & interfaces PCI Express 4.0 Weight & dimensions HDMI version 2.1 Length 205 mm DisplayPorts quantity * 1 Length 205 mm DisplayPort version 1.4a	Graphics processor *	Radeon RX 7600	HDCP	✓
mode)ZF15 MHZSecretary Secretary	Processor boost clock speed	2695 MHz	HDCP version	2.3
Processor boost clock speed (Gaming mode) Maximum resolution* 7680 x 4320 pixels Parallel processing technology support* Stream processors 2048 Maximum displays per videocard 4 Memory Memory Discrete graphics card memory * 8 GB Graphics card memory type * GDDR6 Memory bus * 128 bit Data transfer rate 18 Gbit/s Interface type * PCI Express 4.0 HDMI ports quantity * 1 HDMI version 2.1 DisplayPorts quantity * 3 DisplayPort version * 1.4a Performance TV tuner integrated * X DirectX version * X TV tuner integrated * X TV tuner		2715 MHz		
Parallel processing technology support * Not supported Cooling type * Active Stream processors 2048 Cooling technology ASUS Axial-tech Maximum displays per videocard 4 Number of fans 2 fan(s) Memory Form factor Full-Height/Half-Length (FH/HL Number of slots 2.5 Discrete graphics card memory * 8 GB Product colour Black Graphics card memory type * GDDR6 Memory bus * 128 bit Power Data transfer rate 18 Gbit/s Minimum system power supply * 550 W Ports & interfaces Interface type * PCI Express 4.0 Meight & dimensions HDMI ports quantity * 1 HDMI version 2.1 DisplayPorts quantity * 3 DisplayPorts quantity * 3 DisplayPort version 1.4a Height Height 128 mm Performance TV tuner integrated * X DirectX version * X Package depth Package depth 127 mm Package height 66 mm		2300 MHz		
Parallel processing technology support* Stream processors 2048 Cooling type * Number of fans Number of fans 2 fan(s) Memory Memory Power Memory bus * Data transfer rate Interface type * HDMI ports quantity * HDMI version DisplayPorts quantity * DisplayPorts quantity * DisplayPorts quantity * DisplayPort version DisplayPort version TV tuner integrated * TV tuner integrated * TV tuner integrated * TV tuner integrated * X Dava Memory Sudden and Su	Maximum resolution *	7680 x 4320 pixels	Design	
Maximum displays per videocard 4 Number of fans 2 fan(s) Memory Memory Discrete graphics card memory * 8 GB Graphics card memory type * GDDR6 Memory bus * 128 bit Data transfer rate 18 Gbit/s Minimum system power supply * 550 W Ports & interfaces Interface type * PCI Express 4.0 HDMI ports quantity * 1 HDMI version 2.1 DisplayPorts quantity * 3 DisplayPort version 1.4a Performance TV tuner integrated * X DirectX version * X Maximum displays per videocard 4 Number of fans 2 fan(s) Form factor Full-Height/Half-Length (FH/HL) Number of slots 2.5 Product colour Black Power Power Minimum system power supply * 550 W Supplementary power connectors 1x 8-pin Weight & dimensions Weight & dimensions Weight & dimensions Height 205 mm 205 mm 205 mm 128 mm Performance Packaging data TV tuner integrated * X Package width 364 mm Package depth 217 mm Package height 66 mm		Not supported	•	Active
Number of slots 2.5 Discrete graphics card memory * 8 GB Product colour Black Graphics card memory type * GDDR6 Memory bus * 128 bit Data transfer rate 18 Gbit/s Minimum system power supply * 550 W Ports & interfaces Interface type * PCI Express 4.0 HDMI ports quantity * 1 HDMI version 2.1 DisplayPorts quantity * 3 DisplayPorts quantity * 3 DisplayPort version 1.4a Performance Performance TV tuner integrated * X DirectX version * X Mumber of slots 2.5 Product colour Black Product colour Black Product colour Black Power Power Weight Weigh	•		· · · · · · · · · · · · · · · · · · ·	
Discrete graphics card memory * 8 GB Discrete graphics card memory type * GDDR6 Memory bus * 128 bit Data transfer rate 18 Gbit/s Minimum system power supply * 550 W Supplementary power connectors 1x 8-pin Memory bus * PCI Express 4.0 HDMI ports quantity * 1 HDMI version 2.1 DisplayPorts quantity * 3 DisplayPort version 1.4a Meight 4 Gibber 49 mm DisplayPort version 1.4a Meight 6 Gada Depth 49 mm Performance TV tuner integrated * X DirectX version * X Mumber of slots 2.5 Product colour Power Minimum system power supply * 550 W Supplementary power connectors 1x 8-pin Weight 6 dimensions 1x 8-pin Meight 6 dimensions 1x 8-pin Meight 6 dimensions 1x 8-pin Meight 6 dimensions 1x 8-pin Performance Performance 30 g Height 9 mm 128 mm Packaging data Package width 364 mm Package depth 217 mm Package depth 6 mm	Memory			Full-Height/Half-Length (FH/HL)
Graphics card memory type * GDDR6 Memory bus * 128 bit Data transfer rate 18 Gbit/s Minimum system power supply * 550 W Ports & interfaces Interface type * PCI Express 4.0 HDMI ports quantity * 1 HDMI version 2.1 DisplayPorts quantity * 3 DisplayPort version 1.4a Performance TV tuner integrated * X DirectX version * X Minimum system power supply * 550 W Supplementary power connectors 1x 8-pin Weight & dimensions Weight & dimensions Length 205 mm Dopth 49 mm 128 mm Packaging data Package width 364 mm Package depth 217 mm Package height 66 mm	•	8 GB		
Memory bus*128 bitPowerData transfer rate18 Gbit/sMinimum system power supply * Supplementary power connectors550 WPorts & interfacesWeight & dimensionsWeight & dimensionsInterface type * Interface type *PCI Express 4.0Weight & dimensionsHDMI ports quantity * Interface type *1 Interface type *630 g Interface type *HDMI version DisplayPorts quantity * DisplayPort version3 Interface type *Depth Interface type *49 mm Interface type *PerformancePackaging dataTV tuner integrated * DirectX version *X X Y Interface type * Package depth Package height364 mm 217 mm 66 mm			Product colour	Black
Data transfer rate 18 Gbit/s Minimum system power supply 550 W Ports & interfaces Interface type * PCI Express 4.0 Weight & dimensions HDMI ports quantity * 1 Length 205 mm DisplayPorts quantity * 3 Depth 49 mm DisplayPort version 1.4a Height 128 mm Performance TV tuner integrated * X DirectX version * X Minimum system power supply * 550 W Supplementary power connectors 1x 8-pin Weight & dimensions HV dimensions Veight & dimensions Height 205 mm Depth 49 mm Height 128 mm Package width 364 mm Package depth 217 mm Package height 66 mm			Power	
Interface type * PCI Express 4.0 HDMI ports quantity * 1 HDMI version 2.1 Length 205 mm DisplayPorts quantity * 3 DisplayPort version 1.4a Performance TV tuner integrated * X DirectX version * X PCI Express 4.0 Weight & dimensions Weight & dimensions Weight & dimensions Height 205 mm 205 mm 49 mm Height 128 mm Packaging data Package width 364 mm Package depth 217 mm Package height 666 mm	•			
HDMI ports quantity * 1 Weight 630 g HDMI version 2.1 Length 205 mm DisplayPorts quantity * 3 Depth 49 mm DisplayPort version 1.4a Height 128 mm Performance Packaging data TV tuner integrated * X Package width 364 mm DirectX version * X Package height 666 mm	Ports & interfaces		Supplementary power connectors	1x 8-pin
HDMI ports quantity * 1 Weight 630 g HDMI version 2.1 Length 205 mm DisplayPorts quantity * 3 Depth 49 mm DisplayPort version 1.4a Height 128 mm Performance Package width 364 mm DirectX version * X Package depth Package height 666 mm	Interface type *	PCI Express 4.0	Weight & dimensions	
DisplayPorts quantity * 3 Depth 49 mm DisplayPort version 1.4a Height 128 mm Performance TV tuner integrated * X DirectX version * X Package width 9ackage width 9ackage depth 9ackage height 66 mm	• •	·	Weight	630 g
DisplayPort version 1.4a Height 128 mm Performance Packaging data TV tuner integrated * X Package width 9 Package depth 217 mm Package height 66 mm	HDMI version	2.1	Length	205 mm
Performance Package width DirectX version * Package width Package depth Package height Package height	DisplayPorts quantity *	3	Depth	49 mm
TV tuner integrated * X Package width 364 mm DirectX version * Package depth 217 mm Package height 66 mm	DisplayPort version	1.4a	Height	128 mm
DirectX version * Package depth 217 mm Package height 66 mm	Performance		Packaging data	
Package height 66 mm	TV tuner integrated *	×	•	
Package height 66 mm	DirectX version *	×	•	217 mm
Package weight 1.09 kg			Package height	66 mm
			Package weight	1.09 kg

Packaging data	
Package type	Box





4711387228937

0197105236592



197105236592

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.