

Epson V11HA76080 dataprojektori Vakioprojektori 4000 ANSI lumenia 3LCD WXGA (1200x800) 3D Valkoinen

Tuotemerkki : Epson

Tuotekoodi: V11HA76080

Tuotteen nimi : V11HA76080

Epson V11HA76080. Projektorin kirkkaus: 4000 ANSI lumenia, Projektioteknologia: 3LCD, Projektorin oletusresoluutio: WXGA (1200x800). Valonlähteen tyyppi: Laser, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 30000 h. Tarkennus: Auto/Manual, Kiinteä polttoväli: 9,5 mm, Zoomaussuhde: 1.35:1. Videon väritilat: Taulu, Elokuvateatteri, Dynaaminen, Esitys, sRGB. Sarjaliitännän tyyppi: RS-232C



Projector		Network	
Supported aspect ratios	16:10	Ethernet LAN data rates	10,100,1000 Mbit/s
Screen size compatibility *	1397 - 3048 mm (55 - 120")	Wi-Fi *	✓
Projector brightness *	4000 ANSI lumens	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Projection technology *	3LCD	Miracast	✓
Projector native resolution *	WXGA (1200x800)	Web browser	✓
Contrast ratio (typical) *	2500000:1	Features	
Native aspect ratio *	16:10	Interactive *	✗
Number of colours	1.07 billion colours	Noise level (economic mode)	27 dB
Projector brightness (economic mode)	2800 ANSI lumens	On Screen Display (OSD)	✓
Vertical scan range	100 - 120 Hz	Screen mirroring	✓
Keystone correction, horizontal	-15 - 15°	Noise level *	37 dB
Keystone correction, vertical	-15 - 15°	Password protection	✓
Heat dissipation	884 BTU/h	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	Laser	RMS rated power	16 W
Service life of light source *	20000 h	Design	
Service life of light source (economic mode)	30000 h	Market positioning *	Portable
Lens system		Product type *	Standard throw projector
Focus *	Auto/Manual	Product colour *	White
Fixed focal length	9.5 mm	Cable lock slot	✓
Zoom capability	✓	Cable lock slot type	Kensington
Zoom ratio	1.35:1	Display	
Throw ratio	0.48 - 0.65:1	Built-in display *	✗
Video		Power	
3D *	✓	Power source *	AC
Video colour modes	Blackboard, Cinema, Dynamic, Presentation, sRGB	Power consumption (typical) *	201 W
Ports & interfaces		Power consumption (standby) *	0.5 W
USB 2.0 ports quantity	1	Power consumption (max)	260 W
USB 2.0 Type-B ports quantity	1	Power consumption (economy mode)	191 W
Audio (L/R) in *	2		

Ports & interfaces		Power	
Audio (L/R) out	1	AC input voltage	100 - 240 V
Microphone in	✓	AC input frequency	50/60 Hz
Serial interface type *	RS-232C	Auto power off	✓
VGA (D-Sub) ports quantity *	2	Supplier features	
HDMI ports quantity *	2	Recommended gender	Any gender
DVI port *	✗	Weight & dimensions	
AC (power) in	✓	Width	325 mm
Consumer Electronics Control (CEC) support	✓	Depth	337 mm
Audio Return Channel (ARC)	✓	Height	90 mm
Network		Weight *	4.6 kg
Ethernet LAN *	✓	Packaging content	
Ethernet LAN (RJ-45) ports	1	Remote control included *	✓
		Cables included	AC, HDMI
		Logistics data	
		Quantity per pack	1 pc(s)
		Other features	
		Mounting	Ceiling Mounted, Table Mounted, Wall Mounted
		RS-232C	✓



8715946715209

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date