Epson ES-C320W ADF + Sheet-fed scanner 600 x 600 DPI A4 Black

Brand : Epson

Product code: B11B270401

Product name : ES-C320W

ES-C320W

Epson ES-C320W ADF + Sheet-fed scanner 600 x 600 DPI A4 Black:

Compact Wi-Fi scanner

A4 compact scanner with Wi-Fi and an incredibly small footprint while in use, versatile media handling and low power consumption.

The scanner's U-turn path position allows paper to be scanned without adding to the footprint of the device. Switch to straight path mode to scan passports and booklets up to 5mm thick. Paper protection technology ensures that the original documents remain pristine. Made from up to 30% recycled plastics* and with a low power consumption, it also has a lower environmental impact.





Scanning		Ports & interfaces	
Maximum scan size * Optical scanning resolution * Duplex scanning * Input colour depth Output colour depth	215.9 x 3048 mm 600 x 600 DPI ✓ 30 bit 24 bit	USB port * USB version	✓ 2.0
		Network	
		Wi-Fi	✓
Output monochrome depth	8 bit	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Design		Power	
Scanner type * Product colour * Control type Built-in display * Performance	ADF + Sheet-fed scanner Black Buttons X	Power supply type * Power consumption (typical) Power consumption (standby) Power consumption (PowerSave) Input voltage	AC 10 W 1 W 3.3 W 100 - 240 V
Light source	ReadyScan LED	1 5	100 - 240 V
Daily duty cycle (max) * Scan to Scan drivers	3500 pages E-mail, FTP, Network folder, Print ISIS, SANE, WIA	Weight & dimensions Width Depth Height	296 mm 104 mm 125 mm
Input capacity		Weight	1.8 kg
Standard input capacity	20 sheets	System requirements	
Paper handling		Windows operating systems supported	Windows 10, Windows 11, Windows 7. Windows 8
Scanning media types supported Maximum ISO A-series paper size * ISO A-series sizes (A0A9)	Business Card, Plastic Card, Post Card(JPN) A4 A4, A5, A6	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008
ISO B-series sizes (B0B9)	В5		Server 2016
Letter	1	Operational conditions	
Legal	1	Operating temperature (T-T)	5 - 35 °C
Paper tray media weight	40 - 413 g/m²	Storage temperature (T-T) Operating relative humidity (H-H)	-25 - 60 °C 15 - 80%

Operational conditions

Storage relative humidity (H-H) 15 - 85%



8715946718286

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.