



Lindy 10m Standard HDMI Cable, Anthra Line

Brand : Lindy

Product code: 36967

Product name : 10m Standard HDMI Cable, Anthra Line

10m Standard HDMI Cable, Anthra Line

[Lindy 10m Standard HDMI Cable, Anthra Line:](#)

From the Lines cable connectivity concept developed by Lindy, Anthra Line HDMI cables are the professional choice for high performance connections in commercial AV and IT installations.

Anthra Line HDMI cables are premium connections that feature triple shielded with 24AWG copper conductors for performance and corrosion resistance. High quality gold plated contacts and connectors maintain optimal signal integrity and maximum reliability.

UHD resolutions up to 4K 4096x2160@60Hz 4:2:0 8bit are supported. Anthra Line HDMI cables are also capable of transmitting 32 channel audio and Dolby® True HD.

These HDMI 2.0 cables support 10.2Gbps bandwidth capacity in cable lengths from 7.5m up to 20m.

Anthra Line HDMI cables are available in lengths from 0.3m to 20m.



Features		Features	
Cable length *	10 m	Cable jacket material	Polyvinyl chloride (PVC)
Connector 1 *	HDMI Type A (Standard)	Shield material	Aluminium
Connector 2 *	HDMI Type A (Standard)	Bending radius (min)	9.8 cm
Connector 1 gender *	Male	Colour sampling	4:2:0
Connector 2 gender *	Male		300kHz-825MHz --- 15dB
Connector 1 form factor	Straight	Nominal attenuation	825MHz-2.475GHz --- 15 - 29dB
Connector 2 form factor	Straight		2.475GHz-4.125GHz --- 29 - 44dB
Product colour *	Black, Grey		4.125GHz-5.1GHz --- 44 - 48dB
HDMI version	2.0	Certification	RoHS, REACH, UL
3D	✓	Quantity per pack *	1 pc(s)
Supported graphics resolutions	3840 x 2160, 4096 x 2160	Operational conditions	
Supported video modes	2160p	Operating temperature (T-T)	-20 - 80 °C
Dolby technologies	DTS-HD, Dolby TrueHD	Storage temperature (T-T)	-25 - 85 °C
Data transfer rate	10.2 Gbit/s	Weight & dimensions	
Maximum refresh rate	60 Hz	Cable diameter	9.8 mm
AWG wire size	24	Connector 1 dimensions (WxDxH)	21.4 x 41.44 x 12.7 mm
Contact material	Phosphor bronze	Connector 2 dimensions (WxDxH)	21.4 x 41.44 x 12.7 mm
Connector contacts plating *	Gold	Package type	Polybag
Connector housing material	Polyvinyl chloride (PVC)	Technical details	
Connector material	Gold	Compliance certificates	RoHS
Cable material	Copper	Logistics data	
Cable type	Round cable	Harmonized System (HS) code	84733080



4002888369671

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-NOV-2024. Prints or copies of Information are only valid on the printed Publication date