



## Lindy 1m High Speed HDMI Cable, Anthra Line

**Brand :** Lindy

**Product code:** 36962

**Product name :** 1m High Speed HDMI Cable, Anthra Line

1m High Speed HDMI Cable, Anthra Line

[Lindy 1m High Speed HDMI Cable, Anthra Line:](#)

From the Lines cable connectivity concept developed by Lindy, Anthra Line HDMI cables are the professional choice for high performance connections in commercial AV and IT installations.

Anthra Line HDMI cables are premium connections that feature triple shielded with 30AWG copper conductors with for performance and corrosion resistance. High quality 24K gold plated contacts and connectors maintain optimal signal integrity and maximum reliability.

UHD resolutions up to 4K 4096x2160@60Hz 4:4:4 8bit are supported. Anthra Line HDMI cables are also capable of transmitting 32 channel audio and Dolby® True HD.

The HDMI 2.0 specification is supported for 18Gbps bandwidth capacity in cable lengths up to 5m.

Anthra Line HDMI cables are available in lengths from 0.3m to 5m.



Features		Features	
Cable length *	1 m	Cable jacket material	Polyvinyl chloride (PVC)
Connector 1 *	HDMI Type A (Standard)	Shield material	Copper
Connector 2 *	HDMI Type A (Standard)	Bending radius (min)	4.8 cm
Connector 1 gender *	Male	Colour depth	8 bit
Connector 2 gender *	Male	Plug and Play	✓
Connector 1 form factor	Straight	Colour sampling	4:4:4
Connector 2 form factor	Straight	Nominal attenuation	300kHz-825MHz 5dB, 825MHz-2.475GHz 5dB, 2.475GHz-4.125GHz 12dB, 4.125GHz-5.1GHz 20dB
Product colour *	Black, Grey	Certification	RoHS, REACH, UL, ATC
HDMI version	2.0	Quantity per pack *	1 pc(s)
Supported graphics resolutions	4096 x 2160	<b>Operational conditions</b>	
Supported video modes	2160p	Operating temperature (T-T)	-10 - 80 °C
HDMI Ethernet channel	✓	Storage temperature (T-T)	-10 - 80 °C
Data transfer rate	18 Gbit/s	<b>Weight &amp; dimensions</b>	
Maximum resolution	4096 x 2160 pixels	Cable diameter	6 mm
AWG wire size	30	Connector 1 dimensions (WxDxH)	20 x 34.2 x 10.9 mm
Contact material	Phosphor copper	Connector 2 dimensions (WxDxH)	20 x 34.2 x 10.9 mm
Connector contacts plating *	Gold	Package type	Polybag
Connector housing material	Polyvinyl chloride (PVC)	<b>Logistics data</b>	
Connector material	Gold	Harmonized System (HS) code	84733080
Cable material	Copper		
Cable type	Round cable		



4002888369626

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-NOV-2024. Prints or copies of Information are only valid on the printed Publication date