

Lindy 43349 kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 1 (3.1 Gen 1) Type-C Hopea

Tuotemerkki : Lindy

Tuotekoodi: 43349

Tuotteen nimi : 43349



Lindy 43349. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery asti: 100 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Tuotteen väri: Hopea, Yhteensopivat muistikortit: MicroSD (TransFlash), SD, Tiedonsiirtonopeus: 5 Gbit/s. Virtalähteen malli: DC, Virtaliitin: USB Type-C, Ulostulojännite: 20 V. Tuotteen leveys: 180 mm, Tuotteen syvyys: 77 mm, Tuotteen korkeus: 18 mm

Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	✓
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HDMI ports quantity *	1
HDMI version	2.0
DisplayPorts quantity	2
DisplayPort version	1.4
Combo headphone/mic port	✓
HDCP	✓
HDCP version	2.2
USB Type-C DisplayPort Alternate Mode	✓

Network

Ethernet LAN *	✓
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	✓

Performance

Card reader integrated *	✓
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	5 Gbit/s
Maximum digital resolution	7680 x 4320 pixels

Performance

Plug and Play	✓
Housing material	Aluminium

Power

Power source type	DC
Power connector	USB Type-C
Output voltage	20 V
Output current	5 A
Power consumption (max)	24 W

Operational conditions

Operating temperature (T-T)	-20 - 40 °C
Storage temperature (T-T)	-40 - 80 °C
Operating relative humidity (H-H)	5 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	180 mm
Depth	77 mm
Height	18 mm
Weight	439 g

Packaging data

Quantity per pack	1 pc(s)
Package width	200 mm
Package depth	120 mm
Package height	70 mm
Package weight	780 g

Packaging content

Cables included	USB Type-C
-----------------	------------

Performance


Maximum refresh rate	60 Hz
Product colour *	Silver

Packaging content

Manual	✓
--------	---

Technical details

Compliance certificates	CE, REACH, RoHS
-------------------------	-----------------



4002888433495

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.