

BenQ PD2705UA computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : BenQ Product code: 9H.LKDLA.TPE

Product name: PD2705UA

- Create with the comfort of the ergo arm and enjoy productivity
- 27" 3840x2160 UHD 16:9 HDR IPS 4K Monitor
- 99% sRGB and Rec.709 color spaces

27", IPS (3840x2160), UHD, 4K, HDR10, 1200:1, 178°/178°, 5 ms, 60Hz, 16:9, 163PPI, 1.07 billion colors, HDCP, 2.5Wx2, 100-240V, Puck G2, QSG, USB-C

BenQ PD2705UA. Display diagonal: 68.6 cm (27"), Display resolution: $3840 \times 2160 \text{ pixels}$, HD type: 4K Ultra HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: $2.0 \times 10^\circ$, $10.0 \times 10^\circ$, Viewing angle, height adjustment. Product colour: Black





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (peak)	68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD 16:9 LCD IPS Direct LED X 350 cd/m ²	Ports & interfaces DisplayPorts quantity DisplayPort version Thunderbolt 3 ports quantity Headphone out * Headphone connectivity Built-in KVM switch HDCP HDCP version Ergonomics	1 1.4 1 3.5 mm 2 2.2
Display brightness (typical) Response time * Anti-glare screen Screen shape * Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel density High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour gamut sRGB coverage (typical) Performance	250 cd/m² 5 ms ✓ Flat 1200:1 60 Hz 178° 178° 1.07 billion colours 163 ppi ✓ High Dynamic Range 10 (HDR10) 99% 99%	VESA mounting * Panel mounting interface Wall mountable Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range Picture-in-Picture On Screen Display (OSD)	100 x 100 mm 15 cm 0 - 90° 270 - 275° -5 - 30°
NVIDIA G-SYNC *	×		
ConnectShare (USB)	✓		

Performance		Ergonomics	
VESA Adaptive Sync support Flicker-free technology Low Blue Light technology Smart modes Multimedia	✓ ✓ ✓ Animation, M-Book, Personal	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish
	2	Number of OSD languages	18
Number of speakers RMS rated power	2 5 W	Power	
Built-in speaker(s) *	✓	Energy efficiency class (SDR) *	G
Built-in camera *	x	Energy efficiency class (HDR) *	G
Design		Energy consumption (SDR) per 1000	29 kWh
Market positioning * Product colour *	Graphics design Black	hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) *	38 kWh 27.5 W
Frameless design	✓	Power consumption (standby) *	0.5 W
Front bezel colour Detachable stand	Black ✓	Power consumption (max)	152 W
Feet colour	Black	AC input voltage	100 - 240 V
Ports & interfaces	Black	Power supply type	Internal
		Energy efficiency scale European Product Registry for	A to G
Built-in USB hub *	20/2261/2161)	Energy Labelling (EPREL) code	1335500
USB hub version USB upstream port type	2.0 / 3.2 Gen 1 (3.1 Gen 1) USB Type-B	Weight & dimensions	
Number of upstream ports	2	Width (with stand)	614 mm
Number of USB Type-B upstream ports quantity	2	Depth (with stand) Height (with stand)	459.4 mm 703 mm
USB Type-A downstream ports quantity	3	Weight (with stand) Width (without stand)	10 kg 614 mm
USB Type-C downstream ports quantity	1	Depth (without stand) Height (without stand)	81.3 mm 355.6 mm
USB Type-C DisplayPort Alternate Mode	✓	Weight (without stand)	6.2 kg
USB Power Delivery (USB PD)	✓	Packaging data	
USB Power Delivery up to	65 W	Package type	Box
HDMI *	✓	Packaging content	
HDMI ports quantity	1	Stand included	✓
HDMI version	2.0	Manual	V
		Bundled software	Display Pilot
		Other features	
		Brand specific technologies	Eye Care+
		Screen mirroring	∠ Lye Cale+
		Certification	TUV, Solidworks, calman , Pantone , Pantone SkinTone



4718755090387

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.