

BenQ PD3205UA tietokoneen litteä näyttö 80 cm (31.5") 3840 x 2160 pikseliä 4K Ultra HD LCD musta

Tuotemerkki : BenQ Tuotekoodi: 9H.LKGLA.TPE

Tuotteen nimi: PD3205UA

BenQ PD3205UA. Näytön halkaisija: 80 cm (31.5"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HDtyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta





Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	DisplayPorts quantity	1
Display resolution *	3840 x 2160 pixels	DisplayPort version	1.4
HD type *	4K Ultra HD	Thunderbolt 3 ports quantity	1
Native aspect ratio *	16:9	Headphone out *	✓
Display technology *	LCD	Headphone outputs	1
Panel type *	IPS	Built-in KVM switch	✓
Backlight type	Direct LED	KVM switch ports quantity	1
Touchscreen *	×	HDCP	✓
Display brightness (peak)	350 cd/m ²	HDCP version	2.2
Display brightness (typical)	250 cd/m²	Ergonomics	
Response time *	5 ms		
Anti-glare screen	✓	VESA mounting *	✓
Screen shape *	Flat	Panel mounting interface	100 x 100 mm
Contrast ratio (typical) *	1000:1	Wall mountable	✓
Maximum refresh rate *	60 Hz	Height adjustment *	✓
Viewing angle, horizontal	178°	Height adjustment	15 cm
Viewing angle, vertical	178°	Pivot	✓
Display number of colours *	1.07 billion colours	Pivot angle	0 - 90°
Pixel density	140 ppi	Swivelling	✓
High Dynamic Range (HDR) supported	✓	Swivel angle range	270 - 275°
High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10)	Tilt adjustment	✓
technology		Tilt angle range	-5 - 30°
Colour gamut standard	sRGB	Picture-in-Picture	✓
Colour gamut	99%	On Screen Display (OSD)	✓
sRGB coverage (typical)	99%		
Performance			
Fast charging	✓		

Performance		Ergonomics	
	,	Ligonomics	Arabic Simplified Chinasa
ConnectShare (USB) VESA Adaptive Sync support	<i>y</i>		Arabic, Simplified Chinese, Traditional Chinese, Czech, German,
Flicker-free technology	v	On Screen Display (OSD) languages	English, Spanish, French, Hungarian, Italian, Japanese,
Low Blue Light technology	v	on server bisplay (652) languages	Korean, Norwegian, Polish,
Smart modes	Animation, M-Book, Personal		Portuguese, Romanian, Russian, Swedish
	Allimation, M-book, Fersonal	Number of OSD languages	18
Multimedia		Power	
Number of speakers	2 5 W	Energy efficiency class (SDR) *	F
RMS rated power Built-in speaker(s) *	5 W ✓	Energy efficiency class (HDR) *	G
Built-in speaker(s) ** Built-in camera *		Energy consumption (SDR) per 1000	
	X	hours *	30 kWh
Design		Energy consumption (HDR) per 1000 hours *	45 kWh
Market positioning *	Graphics design	Power consumption (typical) *	31.5 W
Product colour *	Black	Power consumption (standby) *	0.5 W
Frameless design	•	Power consumption (max)	168 W
Front bezel colour	Black	AC input voltage	100 - 240 V
Detachable stand	1	Power supply type	Internal
Feet colour	Black	Energy efficiency scale	A to G
Ports & interfaces		European Product Registry for Energy Labelling (EPREL) code	1335501
Built-in USB hub * USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Weight & dimensions	
USB upstream port type	USB Type-B	Width (with stand)	714.7 mm
Number of upstream ports	2	Depth (with stand)	459.4 mm
Number of USB Type-B upstream		Height (with stand)	731.2 mm
ports quantity	2	Weight (with stand)	10.1 kg
USB Type-A downstream ports	3	Width (without stand)	714.7 mm
quantity		Depth (without stand)	82.4 mm
USB Type-C downstream ports quantity	1	Height (without stand)	422 mm
USB Type-C DisplayPort Alternate		Weight (without stand)	6.3 kg
Mode	✓	Packaging data	
USB Power Delivery (USB PD)	✓	Package type	Box
USB Power Delivery up to	65 W	Packaging content	
HDMI *	•	Stand included	✓
HDMI ports quantity	1	Staria iriciadea	•
	1	Outal atant autala	
HDMI version	2.0	Quick start guide	V Display Bilat
HDMI version		Bundled software	✓ Display Pilot
HDMI version		Bundled software Other features	
HDMI version		Bundled software	
HDMI version		Bundled software Other features	Display Pilot
HDMI version		Bundled software Other features Brand specific technologies	Display Pilot Eye Care+



4718755090394

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.