

DELL UltraSharp U3824DW LED display 95.2 cm (37.5") 3840 x 1600 pixels Wide Quad HD+ LCD Black, Silver

Brand: DELL Product family: UltraSharp Product code: DELL-U3824DW

Product name: U3824DW

- 95.25cm (37.5") Wide Quad HD+ 3840 x 1600 W-LED IPS
- 8ms, 21:9, 300cd/m², 2000:1
- USB, HDMI, DisplayPort

95.25cm (37.5") Wide Quad HD+ 3840 x 1600 W-LED IPS, 21:9, $300cd/m^2$, 1.07B, 8ms, $178^\circ/178^\circ$, 2000.1

2000:1

DELL UltraSharp U3824DW LED display 95.2 cm (37.5") 3840 \times 1600 pixels Wide Quad HD+ LCD Black, Silver:

With its IPS Black panel technology and vast color coverage, this ultrawide WQHD+ curved screen monitor immerses you in a world that's as beautiful as it is practical.

DELL UltraSharp U3824DW. Display diagonal: 95.2 cm (37.5"), Display resolution: 3840 x 1600 pixels, HD type: Wide Quad HD+, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black, Silver






Display		Ergonomics	
Display diagonal *	95.2 cm (37.5")	VESA mounting *	✓
Display resolution *	3840 x 1600 pixels	Panel mounting interface	100 x 100 mm
HD type *	Wide Quad HD+	Cable management	✓
Native aspect ratio *	21:9	Cable lock slot *	/
Display technology *	LCD	Cable lock slot type	Kensington
Panel type *	IPS	Height adjustment *	√
Backlight type	W-LED	Height adjustment	12 cm
Touchscreen *	×	Pivot	X
Display brightness (typical)	300 cd/m ²	Swivelling	· •
Response time *	8 ms	J	-30 - 30°
Anti-glare screen	✓	Swivel angle range	
Screen shape *	Curved	Tilt adjustment	✓
Screen curvature rating	2300R	Tilt angle range	-5 - 21°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024	On Screen Display (OSD) LED indicators	<i>*</i>
supported graphics resolutions	(SXGA), 1280 x 800, 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 1600	Power Energy efficiency class (SDR) *	F
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Energy efficiency class (HDR) *	Not available
Contrast ratio (typical) *	2000:1	Energy consumption (SDR) per 1000 hours *	35 kWh
Maximum refresh rate *	60 Hz	Power consumption (typical) *	34.8 W
/iewing angle, horizontal	178° 178°	Power consumption (standby) *	0.4 W
/iewing angle, vertical Display number of colours *	1.07 billion colours	Power consumption (max)	245 W
Response time (fast)	5 ms	Power consumption (off)	0.3 W
Pixel pitch	0.22908 x 0.22908 mm	AC input voltage	100 - 240 V
Pixel density	110.87 ppi	AC input frequency	50/60 Hz
Horizontal scan range	30 - 100 kHz	Input current	3.2 A
Vertical scan range	56 - 76 Hz	Power supply type	Internal

Display		Power	
Viewable size, horizontal	88 cm	Energy efficiency scale	A to G
Viewable size, vertical	36.7 cm	European Product Registry for	1361189
Display diagonal (metric)	95.25 cm	Energy Labelling (EPREL) code	
Surface hardness	3H	Operational conditions	
Colour gamut standard Colour gamut	DCI-P3 98%	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	100%	Storage temperature (T-T)	-20 - 60 °C
Heat dissipation (typical)	118.74 BTU/h	Operating relative humidity (H-H)	10 - 80%
Performance		Storage relative humidity (H-H) Operating altitude	5 - 90% 0 - 5000 m
		Non-operating altitude	0 - 12192 m
NVIDIA G-SYNC *	×		·
AMD FreeSync *	×	Weight & dimensions	004.2
Flicker-free technology	•	Width (with stand)	894.3 mm 251.2 mm
Low Blue Light technology	1	Depth (with stand) Height (with stand)	443.8 mm
Multimedia		Weight (with stand)	12.8 kg
Number of speakers	2	Width (without stand)	894.3 mm
RMS rated power	18 W	Depth (without stand)	102.3 mm
Built-in speaker(s) *	✓	Height (without stand)	392.3 mm
Built-in camera *	×	Weight (without stand)	8.79 kg
Design		Bezel width (side)	9.97 mm
Market positioning *	Office	Bezel width (top)	1.05 cm
Product colour *	Black, Silver	Bezel width (bottom)	1.53 cm
Front bezel colour	Black	Packaging data	
Feet colour	Silver	Package weight	19 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	/	Stand included	✓
Built-in USB hub * USB hub version	✓ 3.2 Gen 2 (3.1 Gen 2)		✓ AC, DisplayPort, HDMI, USB Type-C,
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Stand included Cables included	
	3.2 Gen 2 (3.1 Gen 2) USB Type-C		AC, DisplayPort, HDMI, USB Type-C,
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity	3.2 Gen 2 (3.1 Gen 2)	Cables included	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports	3.2 Gen 2 (3.1 Gen 2) USB Type-C	Cables included Power adapter included	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A ✓
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Cables included Power adapter included Remote control included	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A ✓ ×
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Cables included Power adapter included Remote control included Stylus included Quick start guide	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD)	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ ✓ 90 W	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI *	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W ✓ 2	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W ✓ 2 2.1	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP)	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W 2 2.1 1	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W ✓ 2 2.1 1 1.4	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP)	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out *	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W ✓ 2 2.1 1 1.4	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W ✓ 1.4 ✓ × ×	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN (RJ-45) ports	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in Built-in KVM switch	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W ✓ 1.4 ✓ × ×	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates Ethernet LAN (RJ-45) ports Brand-specific features	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A X X 1.8 m 1.8 m 1.8 m ** ENERGY STAR, TCO Arsenic, PVC/BFR ** 3840 x 1600 pixels Hg (mercury) RoHS 10,100,1000,2500 Mbit/s 1
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in Built-in KVM switch HDCP	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ ✓ 90 W ✓ 2 2.1 1 1.4 ✓ × ×	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN (RJ-45) ports	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in Built-in KVM switch HDCP HDCP version	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W ✓ 1.4 ✓ × ×	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates Ethernet LAN (RJ-45) ports Brand-specific features Dell Display Manager (DDM)	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A X X 1.8 m 1.8 m 1.8 m ** ENERGY STAR, TCO Arsenic, PVC/BFR ** 3840 x 1600 pixels Hg (mercury) RoHS 10,100,1000,2500 Mbit/s 1
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in Built-in KVM switch HDCP	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ ✓ 90 W ✓ 2 2.1 1 1.4 ✓ × ×	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates Ethernet LAN (RJ-45) ports Brand-specific features Dell Display Manager (DDM)	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A X X 1.8 m 1.8 m 1.8 m ** ENERGY STAR, TCO Arsenic, PVC/BFR ** 3840 x 1600 pixels Hg (mercury) RoHS 10,100,1000,2500 Mbit/s 1











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.