
Ariete 2753/00 3 L Sylinteripölynimuri Kuiva 700 W Pussiton

Tuotemerkki : Ariete

Tuotekoodi: 00P275300AR0

Tuotteen nimi : 2753/00

Ariete 2753/00. Suurin syöttöteho: 700 W. Malli: Sylinteripölynimuri, Puhdistustyyppi: Kuiva, Pölysäiliön tyyppi: Pussiton, Pölykapasiteetti: 3 L. Imurin ilmansuodatus: HEPA, Lian erottava menetelmä:







Maximum input power*700 WDust container full indicator*XVariable power✓Park/storage assist✓Power controlMechanicalHandles quantity1Power sourceACOn/off switch✓DesignControl typeButtonsDust capacity*3 LYeight & dimensionsType *Cylinder vacuumWidth290 mmCleaning type *DryDepth365 mmProduct colour *Black, RedHeight315 mmTube typeClickPackaging content4.85 kgTube parts quantity2Packaging content5.72 kgTube materialMetalCrevice tool✓PerformanceVolucum birshes includedCarpet brushVacuum air filtering *HEPACompliance certificates✓Vasabable filter✓Compliance certificates1 pc(s)Proper use *HomeProducts per intermodal container5.72 kgDust solutionsSare floor, Carpet, Hard floor, StafProducts per intermodal containerCleaning surfaces *Bare floor, Carpet, Hard floor, StafSrouter output coase gross weight5.72 kgDust container type *HomeProducts per intermodal container5.72 kgProbuer use *HomeProducts per intermodal container5.72 kgDist solutionsKaster (outer) case gross weight5.72 kgDist solutionsKaster (outer) case gross weight5.72 kgDist solutionsKaster (outer) case gross weight<				
Variable powerPower controlMechanicalPark/storage assistPower controlMechanicalHandles quantity1Power sourceACOn/off switchDesignControl typeButtonsDust capacity*3 LVeight & dimensionsType*Cylinder vacuumWidth290 mmCleaning type *DryDepth365 mmProduct colour *Black, RedHeight315 mmTube typeTelescopicWeight4.85 kgTube parts quantity2Package weight5.72 kgTube materialMetalCrevice toolPictible hose<	Power		Ergonomics	
Power controlMechanicalHandles quantity1Power sourceACOn/off switch✓DesignControl typeButtonsDust capacity*3 LWeight & dimensionsType*Cylinder vacuumWidth290 mmCleaning type *DryDepth365 mmProduct colour *Black, RedHeight315 mmTube typeTelescopicWeight4.85 kgTube typeClickPackage weight5.72 kgTube parts quantity2Packaging contentVerice toolTube materialMetalCrevice toolBagessCrevice toolDust container type *LPAACrevice toolVacuum air filtering *HEPACompliance certificatesNacuum air filtering *IMPAProducts per unserficates1.pc(s)Proper use *HomeProducts per intermodel coulder) case1.pc(s)Cleaning surfaces *Bare floor, Carpet, Hard floor, StateProducts per intermodel coulder) case5.72 kgDust blowerXProducts per intermodel coulder) case1.pc(s)Dust blowerKProducts per intermodel coulder) case1.pc(s)Dust blowerXProducts per intermodel coulder) case3.72 kgDust blowerXProducts per intermodel coulder) case3.72 kgDust blowerXProducts per intermodel coulder) case3.72 kgDust blowerXProductor per intermodel couler) case3.72 kg<	Maximum input power *	700 W	Dust container full indicator *	×
Power sourceACOn/offs witchIDesignControl typeButtonsDust capacity*3 LControl type &90 mmCleaning type*Cylinder vacuumWight & dimensions990 mmProduct colour *Black, RedHeight315 mmTube typeTelescopicWeight4.85 kgTube parts quantity2Package weight5.72 kgTube parts quantity2Packaging contentCarpet brushIbekineMetalYevice toolCarpet brushProformanceVacuum brushes includedCarpet brushVacuum air filtering *HEPACompliance certificatesCEVacuum air filtering *KeneCompliance certificatesCEVashable filterImmeProducts per master (outer) case1 pc(s)Proper use *HomeProducts per master (outer) case1 pc(s)Cleaning surfaces *Bare floor, Carpet, Hard floor, Stair stepsProducts per intermodal containe5.72 kgDust blowerKeneProducts per intermodal containe5.72 kg	Variable power	1	Park/storage assist	1
DesignControl typeButtonsDust capacity *3 LCervice typeButtonsType *Cylinder vacuumWeight & dimensions290 mmCleaning type *DryDepth365 mmProduct colour *Black, RedHeight315 mmTube typeTelescopicWeight4.85 kgTube typeClickPackage weight5.72 kgTube parts quantity2Packaging content	Power control	Mechanical	Handles quantity	1
Dust capacity *3 LWeight & dimensionsType *Cylinder vacuumWidth290 mmCleaning type *DryDepth365 mmProduct colour *Black, RedHeight315 mmTube typeTelescopicWeight4.85 kgTube lock typeClickPackage weight5.72 kgTube parts quantity2Packaging contentCarpet brushTube materialMetalVacuum brushes includedCarpet brushFlexible hoseCrevice toolDust container type *BaglessUpholstery nozzle includedVacuum air filtering *HEPACompliance certificatesCEVashable filterCupits dataProper use *HomeProducts per master (outer) case1 pc(s)Gleaning surfaces *Bare floor, Carpet, Hard floor, Stair stepsProducts per intermodal container (20th)5.72 kg	Power source	AC	On/off switch	1
Type *Cylinder vacuumWidth290 mmCleaning type *DryDepth365 mmProduct colour *Black, RedHeight315 mmTube typeTelescopicWeight4.85 kgTube lock typeClickPackage weight5.72 kgTube materialMetalPackaging contentCarpet brushFlexible hoseVacuum brushes includedCarpet brushDust container type *BaglessCrevice toolVacuum air filtering *HEPACompliance certificatesCEDirt separating method *CyclonicCompliance certificatesCEVashable filterProducts per master (outer) case1 pc(s)Cleaning surfaces *Bare floor, Carpet, Hard floor, Star typesMaster (outer) case gross weight5.72 kgDust blowerxNoneProducts per intermodal container5.72 kgCleaning surfaces *Bare floor, Carpet, Hard floor, Star typesMaster (outer) case gross weight5.72 kgDust blowerxNoneS.72 kgSo pc(s)	Design		Control type	Buttons
Cleaning type *DryDepth290 mmProduct colour *Black, RedDepth365 mmTube typeTelescopicWeight315 mmTube lock typeClickPackage weight5.72 kgTube parts quantity2Packaging content700 mmTube materialMetalPackaging content700 mmFlexible hoseVacuum brushes includedCarpet brushDust container type *BaglessCrevice toolVacuum air filtering *HEPACompliance certificatesCertificatesCertificatesDirt separating method *CyclonicCompliance certificates1 pc(s)Vashable filterProducts per master (outer) case gross weight5.72 kgProper use *HomeProducts per intermodal container5.72 kgDust blowerXNotes per intermodal container5.72 kg	Dust capacity *	3 L	Weight & dimensions	
Product colour *Black, RedDepthSos minTube typeTelescopicWeight315 mmTube lock typeClickPackage weight5.72 kgTube parts quantity2Packagin contentCarpet brushTube materialMetalVacuum brushes includedCarpet brushFlexible hoseImage weightCarpet brushCarpet brushDust container type *BaglessCrevice toolImage weightPerformanceVacuum air filtering *HEPACompliance certificatesCEVashable filterImage weightCervice toolCECervice toolWashable filterImage weightCompliance certificatesCEProper use *HomeProducts per master (outer) case gross weight5.72 kgCleaning surfaces *Bare floor, Carpet, Hard floor, Stai stepsProducts per intermodal container (20ft)5.72 kgDust blowerXCompliance certificates1 pc(s)Nume weightSos minSos minSos minDust blowerXCompliance floor case gross weight5.72 kgDust blowerXContent case gross weight5.72 kgDust blower <td></td> <td>•</td> <td>Width</td> <td>290 mm</td>		•	Width	290 mm
Tube typeTelescopicHeight315 mmTube lock typeClickWeight4.85 kgTube lock typeClickPackage weight5.72 kgTube parts quantity2Packaging contentTelescopicTube materialMetalVacuum brushes includedCarpet brushFlexible hoseImage weightCrevice toolImage weightDust container type *BaglessCrevice toolImage weightPerformanceUpholstery nozzle includedImage weightImage weightVacuum air filtering *HEPACompliance certificatesCEVashable filterImage weightCuplotics dataImage weightProper use *HomeProducts per master (outer) case1 pc(s)Cleaning surfaces *Bare floor, Carpet, Hard floor, StateMaster (outer) case gross weight5.72 kgDust blowerXMetalProducts per intermodal container5.02 pc(s)	5 51	•	Depth	365 mm
Tube lock typeClickweight4.53 kgTube parts quantity2Package weight5.72 kgTube materialMetalPackaging contentImage: Second			Height	315 mm
Tube parts quantity2Package weight5.72 kgTube materialMetalPackaging contentFlexible hoseImage of the second seco		•	Weight	4.85 kg
Tube materialMetalPackaging contentFlexible hoseCarpet brushDust container type *BaglessCrevice toolPerformanceUpholstery nozzle includedVacuum air filtering *HEPATechnical detailsDirt separating method *CyclonicCompliance certificatesCEWashable filter </td <td></td> <td></td> <td>Package weight</td> <td>5.72 kg</td>			Package weight	5.72 kg
Tube materialMetalConstructionFlexible hose✓Vacuum brushes includedCarpet brushDust container type *BaglessCrevice tool✓PerformanceUpholstery nozzle included✓Vacuum air filtering *HEPATechnical detailsDirt separating method *CyclonicCompliance certificatesCEWashable filter✓Logistics dataProper use *HomeProducts per master (outer) case1 pc(s)Cleaning surfaces *Bare floor, Carpet, Hard floor, Stati stepsMaster (outer) case gross weight coft,5.72 kgDust blowerXLogistics per intermodal container (20ft)750 pc(s)		-	Packaging content	
Plexible noseVDust container type *BaglessCrevice tool✓PerformanceUpholstery nozzle included✓Vacuum air filtering *HEPATechnical details✓Dirt separating method *CyclonicCompliance certificatesCEWashable filter✓Logistics data✓Proper use *HomeProducts per master (outer) case1 pc(s)Cleaning surfaces *Bare floor, Carpet, Hard floor, Stair stepsProducts per intermodal container (20ft)5.72 kgDust blowerXLogistics data750 pc(s)	Tube material	Metal		o
Performance Upholstery nozzle included ✓ Vacuum air filtering * HEPA Technical details Dirt separating method * Cyclonic Compliance certificates CE Washable filter ✓ Logistics data Froper use * Proper use * Home Products per master (outer) case 1 pc(s) Cleaning surfaces * Bare floor, Carpet, Hard floor, Stair steps Master (outer) case gross weight 5.72 kg Dust blower × Products per intermodal container (20ft) 750 pc(s)	Flexible hose	1		•
PerformanceHEPATechnical detailsVacuum air filtering *HEPACompliance certificatesCEDirt separating method *CyclonicCompliance certificatesCEWashable filterIogistics dataProducts per master (outer) case1 pc(s)Proper use *HomeProducts per intermodal container5.72 kgDust blowerXProducts per intermodal container750 pc(s)	Dust container type *	Bagless		1
Vacuum an intering in the initial intervalIntervalIntervalDirt separating method *CyclonicCompliance certificatesCEWashable filter✓Logistics dataProper use *HomeProducts per master (outer) case1 pc(s)Cleaning surfaces *Bare floor, Carpet, Hard floor, Stair stepsProducts per intermodal container (20ft)5.72 kgDust blower×Products per intermodal container (20ft)750 pc(s)	Performance		Upholstery nozzle included	1
Washable filter ✓ Logistics data Proper use * Home Products per master (outer) case 1 pc(s) Cleaning surfaces * Bare floor, Carpet, Hard floor, Stair steps Master (outer) case gross weight 5.72 kg Dust blower X Products per intermodal container (20ft) 750 pc(s)	Vacuum air filtering *	НЕРА	Technical details	
Proper use * Home Products per master (outer) case 1 pc(s) Cleaning surfaces * Bare floor, Carpet, Hard floor, Stair steps Master (outer) case gross weight 5.72 kg Dust blower X Products per intermodal container (20ft) 750 pc(s)	Dirt separating method *	Cyclonic	Compliance certificates	CE
Cleaning surfaces * Bare floor, Carpet, Hard floor, Stair steps Master (outer) case gross weight Products per intermodal container (20ft) 5.72 kg	Washable filter	✓	Logistics data	
Dust blower × Products per intermodal container (20ft) 750 pc(s)	Proper use *		Products per master (outer) case	1 pc(s)
Dust blower × Products per intermodal container (20ft) 750 pc(s)	Cleaning surfaces *	•	Master (outer) case gross weight	5.72 kg
	Dust blower	•		750 pc(s)
1560 nc/c)	Warranty period	2 year(s)	Products per intermodal container	1560 pc(s)
Ergonomics (40ft)	Ergonomics			
Cord length5 mProducts per intermodal container (40ft, HC)1800 pc(s)	Cord length	5 m		1800 pc(s)
Cord storage V Products per pallet 36 pc(s)	Cord storage	✓	Products per pallet	36 pc(s)

Ergonomics	
Automatic cord rewinder	1



8003705116290

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.