

BenQ ST5502S Digital signage flat panel 139.7 cm (55") LCD 400 cd/m² 4K Ultra HD Black Built-in processor Android 8.0

Brand: BenQ Product code: 9H.F7HPT.RA4

Product name: ST5502S

- View vivid images on a 4K UHD display
- Ready-to-use with its built-in Android™ OS
- Flip the display for portrait or landscape viewing
- Easily create content using custom X-Sign templates

55" Professional Smart Signage

BenQ ST5502S Digital signage flat panel 139.7 cm (55") LCD 400 cd/m 2 4K Ultra HD Black Built-in processor Android 8.0:

Superior picture quality every time

4K UHD Clarity

Enjoy crisp and colourful images with the ST series. 4K UHD resolution brings excellent clarity and readability to any space.

Built-In Android OS

Use the built-in Android OS to access files, display content and start presentations, without connecting other devices.

BenQ ST5502S. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LCD, Display resolution: 3840×2160 pixels, Display brightness: 400 cd/m^2 , HD type: 4K Ultra HD. Operating system installed: Android 8.0. Product colour: Black





Display		Performance	
Panel type	IPS	Purpose *	Corporate
Display diagonal *	139.7 cm (55")	Power	
Display technology * Display resolution * Display brightness * HD type * Touchscreen * Native aspect ratio Contrast ratio (typical) Active display area (W x H) Panel life RGB colour space	LCD 3840 x 2160 pixels 400 cd/m² 4K Ultra HD X 16:9 1200:1 1206.6 x 680.4 mm 30000 h NTSC	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR) Energy consumption (SDR) per 100 hours AC input voltage AC input frequency Energy efficiency scale Computer system	134 W 0.5 W G 00 134 kWh 100 - 240 V 50 - 60 Hz A to G
Ports & interfaces		Computer system * Built-in processor *	<i>y</i>
HDMI ports quantity * HDMI version HDMI input ports quantity DVI port * VGA (D-Sub) input ports	2 2.0 2 1 2 2 2.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Processor architecture Processor cores Internal memory Internal storage capacity Operating system installed	ARM Cortex-A53+Cortex-A73 4 3 GB 16 GB Android 8.0
USB port *		Weight & dimensions	
USB ports quantity USB version Ethernet LAN * Ethernet LAN data rates Wi-Fi *		Display width Display depth Display height Display weight	1241.8 mm 63.5 mm 712.6 mm 16.6 kg
PC Audio in		Packaging data	
RS-232 interface Card reader integrated	* *	Package width Package depth Package height	1350 mm 185 mm 910 mm

Ports & interfaces		Packaging data	
Compatible memory cards	MicroSD (TransFlash)	Package weight	22 kg
PC Audio out	✓	Packaging content	
Audio		Remote control included	✓
Built-in speaker(s) *	✓	Cables included	HDMI
Number of built-in speakers	2	Operational conditions	
RMS rated power	20 W	Operating temperature (T-T)	0 - 40 °C
Design		Operating relative humidity (H-H)	10 - 80%
Product design *	Digital signage flat panel	Storage temperature (T-T)	-20 - 60 °C
Placement supported *	Indoor	Storage relative humidity (H-H)	10 - 80%
Orientation	Horizontal/Vertical		
Product colour *	Black		
VESA mounting *	✓		
Panel mounting interface	400 x 400 mm		

