

BenQ ST5502S Digitaalinen litteä infotaulu 139,7 cm (55") LCD 400 cd/m² 4K Ultra HD musta Sisäänrakennettu prosessori Android 8.0

Tuotekoodi: 9H.F7HPT.RA4

Tuotemerkki : BenQ

Tuotteen nimi : ST5502S

BenQ ST5502S. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 139,7 cm (55"), Näytön teknologia: LCD, Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 400 cd/m², HDtyyppi: 4K Ultra HD. Käyttöjärjestelmä asennettu: Android 8.0. Tuotteen väri: musta





Display		Performance	
Panel type	IPS	Purpose * Corporate	
Display diagonal *	139.7 cm (55")	Power	
Display technology * Display resolution * Display brightness * HD type * Touchscreen * Native aspect ratio Contrast ratio (typical) Active display area (W x H) Panel life	LCD 3840 x 2160 pixels 400 cd/m ² 4K Ultra HD X 16:9 1200:1 1206.6 x 680.4 mm 30000 h	Power consumption (typical) *134 WPower consumption (standby) *0.5 WEnergy efficiency class (SDR)GEnergy consumption (SDR) per 1000 hours134 kWhAC input voltage100 - 240 VAC input frequency50 - 60 HzEnergy efficiency scaleA to G	
RGB colour space	NTSC	Computer system	
Ports & interfaces	2	Computer system * Built-in processor *	
HDMI ports quantity * HDMI version HDMI input ports quantity DVI port * VGA (D-Sub) input ports	2 2.0 2 1 2 2.0 2.0 2.0 2.0	Processor architectureARM Cortex-A53+Cortex-Processor cores4Internal memory3 GBInternal storage capacity16 GBOperating system installedAndroid 8.0	A73
USB port * USB ports quantity		Weight & dimensions	
USB version Ethernet LAN * Ethernet LAN data rates Wi-Fi *		Display width1241.8 mmDisplay depth63.5 mmDisplay height712.6 mmDisplay weight16.6 kg	
PC Audio in	×	Packaging data	
RS-232 interface Card reader integrated	с	Package width1350 mmPackage depth185 mmPackage height910 mm	

Ports & interfaces		Packaging data	
Compatible memory cards	MicroSD (TransFlash)	Package weight	22 kg
PC Audio out	1	Packaging content	
Audio		Remote control included	1
Built-in speaker(s) *	1	Cables included	HDMI
Number of built-in speakers	2	Operational conditions	
RMS rated power	20 W	Operating temperature (T-T)	0 - 40 °C
Design		Operating relative humidity (H-H)	10 - 80%
Product design * Placement supported * Orientation Product colour * VESA mounting * Panel mounting interface	Digital signage flat panel Indoor Horizontal/Vertical Black ✓ 400 x 400 mm	Storage temperature (T-T) Storage relative humidity (H-H)	-20 - 60 °C 10 - 80%

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.