ASUS ProArt PA329CRV computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : ASUS Product family: ProArt Product code: 90LM02C0-

B01K70

Product name: PA329CRV

- 31.5-inch 4K (3840 x 2160) LED backlight HDR display with 178° wide-view IPS panel
- Wide color gamut with 98% DCI-P3 coverage
- Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
- Extensive connectivity including DP over USB-C™ with 96W Power Delivery, DisplayPort (MST), HDMI and USB hub
- Slim profile and smaller base also comes with wall mountable for desk space saving
- Ergonomic design with tilt, swivel, pivot and height adjustments for a comfortable viewing experience
- Green Sustainability: paper packaging and energy-efficient environmental standards

ProArt Display PA329CRV Professional Monitor – 32-inch (31.5-inch viewable), IPS, 4K UHD (3840 x 2160), 98% DCI-P3, Color Accuracy Δ E < 2, Calman Verified, USB-C PD 96W, VESA DisplayHDR 400, VESA MediaSync, Ergonomic Stand, Green Sustainability





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (peak) Display brightness (typical)	80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD 16:9 LCD IPS LED X 400 cd/m² 350 cd/m²	HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs HDCP HDCP version Charging port type	2 2.0 2 1.4 1 2.2 USB Type-C
Response time *	5 ms	Ergonomics	332 1,760 3
Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency High Dynamic Range (HDR)	Flat 1000:1 3000:1 60 Hz 178° 178° 1.073 billion colours 0.182 x 0.182 mm 140 ppi 69.7 cm 39.2 cm 15 - 135 kHz 48 - 60 Hz	VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range	✓ 100 x 100 mm ✓ ✓ Kensington ✓ 13 cm ✓ -90 - 90° ✓ -30 - 30° ✓ -5 - 23°
supported High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10)	Power	г
technology	nigii Dynamic Kange 10 (HDR10)	Energy efficiency class (SDR) * Energy efficiency class (HDR) *	E G

Display		Power	
Colour gamut standard Colour gamut	DCI-P3 98%	Energy consumption (SDR) per 1000 hours *) 25 kWh
sRGB coverage (typical)	100%	Energy consumption (HDR) per 1000 hours *	40 kWh
Performance		Power consumption (typical) *	26.22 W
Flicker-free technology	✓	Power consumption (off)	0 W
Low Blue Light technology	✓	Power consumption (PowerSave)	0.5 W
Multimedia		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz
Number of speakers	2	Energy efficiency scale	A to G
RMS rated power Built-in speaker(s) *	4 W ✓	European Product Registry for Energy Labelling (EPREL) code	1445296
Built-in camera *	X	Weight & dimensions	
Design		Width (with stand)	713.8 mm
Market positioning * Product colour * Feet colour	Photo editing Black Silver	Depth (with stand) Height (with stand) Weight (with stand)	240 mm 617.7 mm 9.9 kg
Ports & interfaces		Width (without stand) Depth (without stand)	713.8 mm 44.7 mm
Built-in USB hub *	✓	Height (without stand)	419.3 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Weight (without stand)	6.7 kg
USB upstream port type	USB Type-C	Packaging data	
USB Type-A downstream ports quantity	3	Package width	828 mm
USB Type-C downstream ports quantity	1	Package depth Package height	142 mm 509 mm
USB Type-C DisplayPort Alternate Mode	✓	Package weight Package type	14.2 kg Box
USB Power Delivery (USB PD)	✓		20.
USB Power Delivery up to	96 W		





4711387005811

0195553996600



195553996600

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.