ASUS VA32UQSB tietokoneen litteä näyttö 80 cm (31.5") 3840 x 2160 pikseliä 4K Ultra HD LED musta

Tuotemerkki : ASUS

Tuotekoodi: 90LM04W7-B01E70

Tuotteen nimi : VA32UQSB

ASUS VA32UQSB. Näytön halkaisija: 80 cm (31.5"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HDtyyppi: 4K Ultra HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape *	80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD 16:9 LED IPS LED X 350 cd/m ² 4 ms ✓ Flat	Ports & interfaces Headphone outputs HDCP HDCP version Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment	1 ✓ 1.4 ✓ 100 x 100 mm ✓ Kensington ✓ 15 cm ✓
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch	1000:1 60 Hz 178° 1.78° 1.073 billion colours 0.182 x 0.182 mm	Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range Power	-90 - 90° ✓ -180 - 180° ✓ -5 - 25°
Viewable size, horizontal69.7 cmViewable size, vertical39.2 cmDigital horizontal frequency110 - 140 kHzDigital vertical frequency24 - 60 HzHigh Dynamic Range (HDR)✓High Dynamic Range (HDR)High Dynamic Range 10 (HDR10)	Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (off)	F G 32 kWh 41 kWh 30 W 0.3 W	
Performance NVIDIA G-SYNC *	×	Power consumption (off) Power consumption (PowerSave) AC input voltage AC input frequency	0.3 W 0.5 W 100 - 240 V 50 - 60 Hz

AND FreeSync* × Energy efficiency scale A to G Licker-free technology - European Product Registry for Energy Labelling (EPREL) code 1392009 Autimedia - Weight & dimensions 1392009 Autimedia - Weight & dimensions 1392009 Mumber of speakers 2 Weight & dimensions 714.6 mm SMS rated power 4 W Height (with stand) 9.34 kg Built-in camera * × Weight (with stand) 9.34 kg Built-in camera * × Weight (with stand) 9.34 kg Postign - Weight (with stand) 9.34 kg You Colour * Business Weight (without stand) 9.34 kg You Colour * Black You Stand) 22.3 rm You Sch interfaces Veight (without stand) 22.3 rm You Sch interfaces Size colour Black 218 mm You Sch interfaces - Package weight 218 mm You Sch interfaces - Package keight 212 mm You Sch inte				
Hicker-free technology Autimedia Autimedia vergen Product Registry for Energy Labelling (EPREL) code 1392009 1392009 1392009 1392009 1392009 1392009 1392009 Autimedia Vergent & dimensions Vidth (with stand) 14.6 mm 264.9 mm 264.0 mm<td>Performance</td><td></td><td>Power</td><td></td>	Performance		Power	
Interface technology of a constraint of the series of the	AMD FreeSync *	×	Energy efficiency scale	A to G
Weight & dimensions Wuttmedia Width (with stand) 714.6 mm Wumber of speakers 2 Depth (with stand) 264.9 mm Mustmedia Height (with stand) 594.1 mm 264.9 mm Mustmedia Weight (with stand) 9.34 kg 2000 Mustmedia Vidth (with stand) 9.34 kg 2000 Built-in camera * X Weight (with stand) 9.34 kg Built-in camera * X Weight (with stand) 9.34 kg Advect positioning * Business Depth (without stand) 714.6 mm Product colour * Black Peth (without stand) 714.6 mm Product colour * Black Peth (without stand) 6.22 kg Ports & interfaces Veight (without stand) 794 mm Ports & interfaces Package depth 714.6 mm Sign hub version 3.2 Gen 1 (3.1 Gen 1) Package depth 714.6 mm JSB Type-A downstream ports 2 Gath icluded JSB Type-A downstream ports 2 Stand included	Flicker-free technology	-		1392009
Number of speakers2 Perth (with stand)714.6 mmNumber of speakers4 WDepth (with stand)264.9 mmNumber of speakers)*4 WHeight (with stand)594.1 mmSulit-in speaker(s)*✓Weight (with stand)9.34 kgSulit-in camera*XWidth (without stand)53 mmDesignDepth (without stand)53 mm14.6 mmOrduct colour *BusinessDepth (without stand)6.22 kgProduct colour *BlackWeight (without stand)6.22 kgDetachable standJackPackaging data744 mmPorts & interfacesIsamPackage depth218 mmSulit-in USB hub *✓Package leight512 mmJSB Type-A downstream portsJacon (Jacon (Jac	Low Blue Light technology	7	Weight & dimensions	
Number of speakers2Depth (with stand)264.9 mmNUME of speaker(s)*4 WHeight (with stand)594.1 mmBuilt-in speaker(s)**Weight (with stand)9.34 kgBuilt-in camera*XWidth (without stand)714.6 mmBuilt-in camera*XDepth (with out stand)714.6 mmBuilt-in camera*Si sumDepth (without stand)53 mmArket positioning*BusinessDepth (without stand)6.22 kgMarket positioning*Black6.22 kgDetta colour*Black794 mmPerts & interfacesPackage width794 mmBuilt-in USB hub **Package depth218 mmPosts & interfaces*Package weight12 kgJSB hub version3.2 Gen 1 (3.1 Gen 1)Package typeBoxHDII ports quantity2Calles included*Quantity2.0Cables includedAC, HDMI, USBDisplayPort version1.21.21.2	Multimedia		Width (with stand)	714.6 mm
Built-in speaker(s)*✓✓✓	Number of speakers	-	,	
Built-in camera *XWeight (without stand)J.G. KgBuilt-in camera *XWeight (without stand)714.6 mmDesignDepth (without stand)53 mmMarket positioning *BusinessDepth (without stand)423.7 mmMarket positioning *BusinessWeight (without stand)6.22 kgOrduct colour *BlackPackaging dataDetts & interfacesPackage weight794 mmPorts & interfacesPackage weight218 mmBuilt-in USB hub *Package weight212 kgJSB hub version3.2 Gen 1 (3.1 Gen 1)Package typeBoxJSB Type-A downstream ports quantityStand includedIDMI * </td <td>RMS rated power</td> <td>4 W</td> <td>Height (with stand)</td> <td>594.1 mm</td>	RMS rated power	4 W	Height (with stand)	594.1 mm
DesignPerformance for a finite function of a finite for a	Built-in speaker(s) *	1	Weight (with stand)	9.34 kg
Market positioning *BusinessHeight (without stand)423.7 mmMarket positioning *BlackCale without stand)6.22 kgDetachable standImage: Market positioning *BlackPackaging dataDetachable standImage: Market positioning *Market positioning *Market positioning *Seet colourBlackPackaging data794 mmSeet colourBlackPackage depth794 mmSeet colourImage: Market positioning *Package depth218 mmSeet colourImage: Market positioning *Stand package weight12 kgSult-in USB hub *Image: Market positioning *Package weight12 kgJSB Type-A downstream ports quantityImage: Market positioning *Stand includedImage: Market positioning *Image: Market	Built-in camera *	×	Width (without stand)	714.6 mm
Market positioning *BusinessHeight (without stand)423.7 mmMarket positioning *BlackWeight (without stand)6.22 kgPorduct colour *BlackPackaging dataDetachable standIPackage width794 mmFeet colourBlackPackage depth218 mmPorts & interfacesIPackage depth512 mmBuilt-in USB hub *IIPackage weight12 kgJSB Type-A downstream ports quantity2Stand includedIPOTI *IIStand includedIPOTI *IIIIPOTI *II	Design		Depth (without stand)	53 mm
Product colour * Black Weight (without stand) 6.22 kg Detachable stand Packaging data Feet colour Black Package width 794 mm Feet colour Black Package depth 794 mm Forts & interfaces Package height 218 mm Package height 512 mm Package weight 12 kg JSB hub version 3.2 Gen 1 (3.1 Gen 1) Package type Box Box ADMI * Packaging content Stand included HDMI ports quantity 2 Stand included AC, HDMI, USB DisplayPorts quantity 1 Stand included	-	Business	Height (without stand)	423.7 mm
Detachable stand Image: stand st	Product colour *		Weight (without stand)	6.22 kg
Ports & interfaces Package depth 218 mm Built-in USB hub * Built-in USB hub * Package height 512 mm Built-in USB hub * Package weight 12 kg JSB hub version 3.2 Gen 1 (3.1 Gen 1) Package type Box JSB Type-A downstream ports quantity 2 Packaging content Image: Standing content HDMI * Stand included HDMI version 2.0 Cables included AC, HDMI, USB DisplayPorts quantity 1 Image: Standing content Image: Standing content DisplayPort version 1.2 Image: Standing content Image: Standing content	Detachable stand		Packaging data	
Ports & interfaces Package height 512 mm Built-in USB hub * ✓ Package height 512 mm JSB hub version 3.2 Gen 1 (3.1 Gen 1) Package weight 12 kg JSB Type-A downstream ports quantity 2 Packaging content Stand included HDMI * ✓ Stand included ✓ HDMI version 2.0 Cables included ✓ HDMI version 1.2 1.2	Feet colour	Black	Package width	794 mm
Built-in USB hub*✓Package weight12 kgJSB hub version3.2 Gen 1 (3.1 Gen 1)Package typeBoxJSB Type-A downstream ports quantity2Packaging contentHDMI *✓Stand included✓HDMI ports quantity2Cables includedAC, HDMI, USBHDMI version2.0LLDisplayPorts quantity1.2LL	Ports & interfaces		5 1	
JSB hub version 3.2 Gen 1 (3.1 Gen 1) Package weight 12 kg JSB Type-A downstream ports quantity 2 Packaging content Box HDMI * Stand included HDMI ports quantity 2 Cables included AC, HDMI, USB HDMI version 2.0 Cables included Line (Line	Built-in USB bub *	4	5 5	
JSB Type-A downstream ports 2 Packaging content IDMI * ✓ Stand included ✓ IDMI ports quantity 2 Cables included AC, HDMI, USB IDMI version 2.0 Entertion Entertion DisplayPorts quantity 1 Entertion Entertion DisplayPort version 1.2 Entertion Entertion				5
quantity2Packaging contentIDMI *✓Stand included✓IDMI ports quantity2Cables includedAC, HDMI, USBIDMI version2.0DisplayPorts quantity1DisplayPort version1.2			5 71	вох
HDMI ports quantity2Cables includedAC, HDMI, USBHDMI version2.0DisplayPorts quantity1DisplayPort version1.2	quantity	2	Packaging content	
HDMI version 2.0 DisplayPorts quantity 1 DisplayPort version 1.2	HDMI *	✓	Stand included	 Image: A set of the set of the
DisplayPorts quantity 1 DisplayPort version 1.2	HDMI ports quantity	2	Cables included	AC, HDMI, USB
DisplayPort version 1.2	HDMI version	2.0		
	DisplayPorts quantity	1		
Headphone out *	DisplayPort version	1.2		
	Headphone out *	✓		



4711081965602

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.