



Lenovo ThinkSystem ST250 V2 server Tower Intel Xeon E E-2378 2.6 GHz 32 GB DDR4-SDRAM 750 W

Brand : Lenovo

Product family: ThinkSystem

Product code: 7D8FA01YEA

Product name : ST250 V2

- No OS
- Intel Xeon E-2378 (16MB Cache, 2.6GHz)
- 32GB DDR4-SDRAM (1 x 32)
- Intel Xeon E-2378 (16MB Cache, 2.6GHz), 32GB DDR4-SDRAM, LAN (Broadcom BCM5720), 5350-8i, 750W, No OS

Lenovo ThinkSystem ST250 V2 server Tower Intel Xeon E E-2378 2.6 GHz 32 GB DDR4-SDRAM 750 W:

The Lenovo ThinkSystem ST250 V2 is a mainstream 1-socket tower server that also be rack mounted as a rack server. It is ideal for small-to-medium businesses, remote offices, branch offices, banking and public sector. The server supports the new Intel Xeon E-2300 Series processors, formerly codenamed "Rocket Lake".

This product guide provides essential presales information to understand the ThinkSystem ST250 V2 server, its key features and specifications, components and options, and configuration guidelines. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about the ST250 V2 and consider its use in IT solutions.



Processor		Ports & interfaces	
Processor manufacturer *	Intel	Serial ports quantity	1
Processor family *	Intel Xeon E	Design	
Processor model *	E-2378	Chassis type *	Tower
Processor frequency *	2.6 GHz	Product colour	Black
Processor boost frequency	4.8 GHz	Performance	
Processor cores	8	Performance management	XClarity Enterprise
Processor cache	16 MB	Noise level	27.6 dB
Motherboard chipset	Intel C256	Trusted Platform Module (TPM)	✓
Number of processors installed	1	Trusted Platform Module (TPM) version	2.0
Memory		Software	
Internal memory *	32 GB	Operating system installed *	✗
Internal memory type *	DDR4-SDRAM	Compatible operating systems *	Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware ESXi
Memory slots	4x DIMM	Processor special features	
ECC	✓	CPU configuration (max)	1
Memory layout (slots x size)	1 x 32 GB	Power	
Maximum internal memory *	128 GB	Redundant power supply (RPS) support *	✓
Storage		Power supply *	750 W
RAID support *	✓	Number of redundant power supplies installed	1
RAID levels	0, 1, 5, 10		
Supported RAID controllers	5350-8i		
Optical drive type *	✗		
Internal drive bays	8		

Network		Operational conditions	
LAN controller	Broadcom BCM5720	Operating temperature (T-T)	5 - 45 °C
Ethernet LAN	✓	Storage temperature (T-T)	-40 - 60 °C
Cabling technology	10/100/1000Base-T(X)	Operating relative humidity (H-H)	8 - 90%
Ethernet interface type	Gigabit Ethernet	Storage relative humidity (H-H)	8 - 90%
Ports & interfaces		Operating altitude	0 - 3050 m
Ethernet LAN (RJ-45) ports *	2	Weight & dimensions	
USB 2.0 ports quantity	1	Width	176 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Depth	578 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4	Height	444 mm
VGA (D-Sub) ports quantity	1	Weight	23.6 kg



8032976157855

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.