KYOCERA ECOSYS MA3500cix Laser A4 1200 x 1200 DPI 35 ppm

Tuotemerkki: KYOCERA Tuoteperhe: ECOSYS Tuotekoodi: 1102YK3NL0

Tuotteen nimi: MA3500cix

KYOCERA ECOSYS MA3500cix. Tulostustekniikka: Laser, Tulostus: Väritulostus, Suurin resoluutio: 1200 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 35 ppm. Kopiointi: Värikopiointi, Kopioinnin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Kaksipuolinen toiminto: Kopiointi, Tulosta, Skannaus. Suurin ISO A-luokan paperikoko: A4. Suoratulostus. Tuotteen väri: musta, Valkoinen





Printing		Paper handling	
Duplex printing mode	Auto	Maximum ISO A-series paper size *	A4
Print technology *	Laser	Paper tray media types *	Banner, Labels, Letterhead, Plain
Printing *	Colour printing	, , , , , , , , , , , , , , , , , , , ,	paper, Pre-printed
Duplex printing *	✓	ISO A-series sizes (A0A9) *	A4, A5, A6
Maximum resolution *	1200 x 1200 DPI	ISO B-series sizes (B0B9) Non-ISO print media sizes	B5, B6
Print speed (black, normal quality, A4/US Letter) *	35 ppm	Paper tray media weight	Folio, Legal, Letter 60 - 220 g/m²
Print speed (colour, normal quality,	35 ppm	Multi-Purpose Tray media weight	60 - 220 g/m²
A4/US Letter)	35 pp	Ports & interfaces	
Duplex print speed (black, normal quality, A4/US Letter)	17.5 ppm	Direct printing *	✓
Duplex print speed (colour, normal quality, A4/US Letter)	17.5 ppm	USB port USB 2.0 ports quantity	✓ 2
Warm-up time	26 s	Optional connectivity	Ethernet, Wireless LAN
Time to first page (black, normal)	5.7 s		Ethernet, Wheless EAW
Time to first page (colour, normal)	7 s	Network	
N-in-1 print function	✓	Wi-Fi *	×
N-up printing	2, 4	Ethernet LAN *	✓
Watermark printing	✓	Cabling technology	10/100/1000Base-T(X)
Economical printing	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Secure printing	✓	Bluetooth	×
Poster printing function	✓	Near Field Communication (NFC)	×
Borderless printing	×	Security algorithms	SNMPv3, TLS
DVD/CD printing	×	Mobile printing technologies	Apple AirPrint, Kyocera Mobile Print Mopria Print Service
Copying		Performance	
Duplex copying *	✓	Maximum internal memory	3000 MB
Duplex copying mode	Auto	Memory slots	1
Copying *	Colour copying	Card reader integrated	×

Copying		Performance	
Maximum copy resolution *	600 x 600 DPI	Internal memory *	1500 MB
Maximum copy size	A4	Built-in processor	✓
Copy speed (black, normal quality,	35 cpm	Processor family	ARM Cortex-A9
A4)	·	Processor frequency	1200 MHz
Copy speed (colour, normal quality, A4)	35 cpm	Processor cores	2
Time to first copy (black, normal)	6.1 s	Introduction year	2023
Time to first copy (colour, normal)	7.2 s	Sound pressure level (printing)	51 dB
Maximum number of copies	999 copies	Sound pressure level (standby)	30 dB
Copier resize	25 - 400%	Design	
N-in-1 copy function	✓	Product colour *	Black, White
N-in-1 copy function (N=)	2, 4	Market positioning *	Business
Copy programming function	✓	Built-in display *	/
ID-card copy function	1	Display diagonal	17.8 cm (7")
. ,		Control type	Touch
Scanning		Colour display	✓
Duplex scanning *	1	Power	
Duplex scanning mode	Auto		440.4.14
Scanning *	Colour scanning	Power consumption (printing)	449.1 W
Optical scanning resolution *	600 x 600 DPI	Power consumption (copying)	479.1 W
Scanner type *	Flatbed & ADF scanner	Power consumption (standby)	18.8 W
Scan technology	CIS/CCD	Power consumption (sleep) Power consumption (off)	0.5 W 0.1 W
Scan to	E-mail, FTP, File, SMB, TWAIN, USB, WIA	Energy Star Typical Electricity	0.1 vv
Scan speed (colour)	50 ppm	Consumption (TEC)	0.34 kWh/week
Scan speed (black)	60 ppm	AC input voltage	220 - 240 V
Duplex scan speed (colour)	100 ppm	AC input frequency	50/60 Hz
Duplex scan speed (black)	120 ppm	System requirements	
Image formats supported	JPG, TIF	Windows operating systems	
Document formats supported	PDF, XPS	supported	✓
Fax		Mac operating systems supported	Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0
Faxing *	×		Monterey, Mac OS X 13.0 Ventura
Features		Operational conditions	
Recommended duty cycle	1000 - 3500 pages per month	Operating relative humidity (H-H)	10 - 80%
Maximum duty cycle *	100000 pages per month	Storage temperature (T-T)	-20 - 40 °C
Duplex functions *	Copy, Print, Scan	Operating temperature (T-T)	10 - 32.5 °C
Digital sender	✓	Storage relative humidity (H-H)	10 - 90%
Ink tank system	×	Operating altitude	0 - 3500 m
Number of print cartridges *	4	Sustainability	
Printing colours *	Black, Cyan, Magenta, Yellow	Sustainability compliance	1
Dage description languages	PCL 5c, PCL 6, PCL XL, PCLm, PDF,	Sustainability certificates	Blue Angel, EPEAT Gold
Page description languages	PostScript 3, XPS		Bide Aligel, EFEAT Gold
Country of origin	Vietnam	Weight & dimensions	
Replacement cartridges	TK-5370	Width	480 mm
Input & output capacity		Depth	577.5 mm
Total number of input trays *	2	Height	575 mm
Total input capacity *	350 sheets	Weight	39 kg
Total output capacity *	250 sheets	Packaging data	
Paper tray 1 input capacity	250 sheets	Package width	623 mm
Multi-Purpose tray	✓	Package depth	728 mm
Multi-Purpose tray input capacity	100 sheets	Package height	789 mm
Auto document feeder (ADF)	✓	Package weight	51 kg
Auto document feeder (ADF) input capacity	100 sheets	Packaging content	
Maximum number of input trays	5	Cartridge(s) included	1
Maximum input capacity	2000 sheets	Included cartridge capacity (black)	3500 pages
Maximum output capacity	250 sheets	Included cartridge capacity (CMY)	2500 pages
		Imaging unit included	•
		Cables included	AC

Technical details

Compliance certificates Introduction month

CE, REACH, RoHS, WEEE

july





632983071663

0632983071663

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.