

Display		Weight & dimensions	
Colour gamut standard	sRGB	Width (with stand)	815.7 mm
Colour gamut	99%	Depth (with stand)	237.4 mm
Performance		Height (with stand)	541.1 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	10.2 kg
AMD FreeSync *	✗	Width (without stand)	815.7 mm
Flicker-free technology	✓	Depth (without stand)	58.1 mm
Low Blue Light technology	✓	Height (without stand)	365.4 mm
Smart modes	Standard	Weight (without stand)	6.95 kg
Multimedia		Bezel width (side)	8.7 mm
Built-in speaker(s) *	✗	Bezel width (top)	8.7 mm
Built-in camera *	✗	Bezel width (bottom)	2.19 cm
Design		Packaging data	
Market positioning *	Office	Package weight	14.8 kg
Product colour *	Black	Packaging content	
Front bezel colour	Black	Stand included	✓
Feet colour	Silver	Cables included	AC, DisplayPort, USB Type-A to USB Type-B, USB Type-C to USB Type-C
Ports & interfaces		Power adapter included	✓
Built-in USB hub *	✓	Remote control included	✗
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Stylus included	✗
USB upstream port type	USB Type-C	Quick start guide	✓
Number of USB Type-B upstream ports quantity	1	DisplayPort cable length	1.8 m
Number of USB Type-C upstream ports quantity	1	Sustainability	
USB Type-A downstream ports quantity	4	Sustainability compliance	✓
USB Type-C DisplayPort Alternate Mode	✓	Sustainability certificates	ENERGY STAR, EPEAT Gold, TCO
USB Power Delivery (USB PD)	✓	Doesn't contain	PVC/BFR
USB Power Delivery up to	90 W	Carbon footprint	
HDMI *	✓	Total carbon footprint (kg of CO2e)	777
HDMI ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	198
HDMI version	2.1	Carbon emissions, manufacturing (kg of CO2e)	436
DisplayPorts quantity	1	Carbon emissions, logistics (kg of CO2e)	72
DisplayPort version	1.2	Carbon emissions, energy usage (kg of CO2e)	261
Headphone out *	✗	Carbon emissions, end-of-life (kg of CO2e)	8
Microphone in	✗	Total carbon emissions, w/o use phase (kg of CO2e)	516
PC Audio in	✗	PAIA version	1.3.2
Built-in KVM switch	✓	Other features	
HDCP	✓	Heavy metals free	Hg (mercury)
HDCP version	2.3	Compliance certificates	RoHS
AC (power) in	✓	Ethernet LAN (RJ-45) ports	1
Network			
Wi-Fi	✗		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		



0884116448082



884116448082



5397184657256



5715063228210

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.