

BenQ LH650 dataprojektori Vakioprojektori 4000 ANSI lumenia DLP 1080p (1920x1080) 3D musta, Valkoinen

Tuotemerkki : BenQ Tuotekoodi: 9H.JS577.13E

Tuotteen nimi: LH650



BenQ LH650. Projektorin kirkkaus: 4000 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: Laser, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 20000 h. Polttovälialue: 16.88 - 21.88 mm, Aukkoalue (F-F): 2,59 - 2,87, Heittosuhde: 1.15 - 1.5. Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 3840 x 2160, Tuetut videomoodit: 1080p. Sarjaliitännän tyyppi: RS-232



Projector		Features	
Projector brightness * Projection technology *	4000 ANSI lumens DLP	High Dynamic Range (HDR) supported	✓
rojection technology 5EF rojector native resolution * 1080p (1920x1080) ontrast ratio (typical) * 3000000:1	1080p (1920x1080)	High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Native aspect ratio *	16:9 1.07 billion colours	Multimedia	
Number of colours		Built-in speaker(s) *	✓
Horizontal scan range	15 - 135 kHz	RMS rated power	10 W
Vertical scan range	23 - 120 Hz	Number of built-in speakers	1
Keystone correction, horizontal Keystone correction, vertical	-30 - 30° -30 - 30°	Design	
Light source	-50 - 50	Market positioning * Product type *	Business Standard throw projector
Light source type *	Laser	Product colour *	Black, White
Service life of light source *	20000 h	Cable lock slot	✓
Service life of light source (economic mode)	20000 h	Cable lock slot type	Kensington
Lens system		Display	
Focal length range	16.88 - 21.88 mm	Built-in display *	×
Aperture range (F-F)	2.59 - 2.87	Power	
Zoom capability	✓	Power source *	AC
Throw ratio	1.15 - 1.5	Power consumption (typical) *	200 W
Offset	105.5%	Power consumption (standby) *	0.5 W
Video		AC input voltage AC input frequency	100-240 V 50/60 Hz
Full HD *	✓	Auto power off	J0/00 112 ✓
3D *	✓	Cord length	1.8 m
Supported graphics resolutions Supported video modes	640 x 480 (VGA), 3840 x 2160 1080p	Operational conditions	-
		Operating temperature (T-T)	0 - 40 °C
		operating temperature (1-1)	J 15 C

Ports & interfaces		Weight & dimensions	
HDMI version USB 2.0 ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-C	2.0 2 e-C 1	Width Depth Height	303.5 mm 224.7 mm 112.4 mm
ports quantity Audio (L/R) out Serial interface type * HDMI ports quantity *	1 RS-232 2	Weight * Package width Package depth Package height	3 kg 170 mm 410 mm 340 mm
Features		Package weight	4 kg
Noise level (economic mode) HDCP Preset modes Noise level *	DCP Bright, Infographic, Presentation, Spreadsheet 34 dB	Packaging content Remote control included * Cables included Manual	✓ AC ✓
Country of origin		Technical details Doesn't contain Products per pallet (EU) Logistics data	Mercury 96 pc(s)
		Quantity per pack Harmonized System (HS) code	1 pc(s) 8528620000



4718755092138

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.