**EPSON**

Epson EH-LS650B dataprojektori 3600 ANSI lumenia 3LCD 4K (4096x2400) musta

Tuotemerkki : Epson

Tuotekoodi: V11HB07140

Tuotteen nimi : EH-LS650B

Epson EH-LS650B. Projektorin kirkkaus: 3600 ANSI lumenia, Projektioteknologia: 3LCD, Projektorin oletusresoluutio: 4K (4096x2400). Valonlähteen tyyppi: Laser. Kiinteä polttoväli: 3,7 mm, Zoomaussuhde: 1.25:1, Heittosuhde: 0,25 - 0,62:1. Videon väritilat: Elokuvateatteri, Dynaaminen, Luonnollinen, Elävä. Palveluportin tyyppi: USB B-tyyppi

Projector

Smart projector *	✔
Screen size compatibility *	1524 - 3048 mm (60 - 120")
Projector brightness *	3600 ANSI lumens
Projection technology *	3LCD
Projector native resolution *	4K (4096x2400)
Contrast ratio (typical) *	2500000:1
Native aspect ratio *	16:9
Number of colours	1.07 billion colours
Projector brightness (economic mode)	1800 ANSI lumens
Matrix size	1.57 cm (0.62")
Heat dissipation	897.6 BTU/h

Light source

Light source type *	Laser

Lens system

Fixed focal length	3.7 mm
F-number (relative aperture)	1.6
Zoom ratio	1.25:1
Throw ratio	0,25 - 0,62:1

Video

Analog signal format system *	Not supported
Full HD *	✔
Video colour modes	Cinema, Dynamic, Natural, Vivid

Ports & interfaces

Service port type	USB Type-B
USB 2.0 ports quantity	3
HDMI ports quantity *	2
DVI port *	✘
AC (power) in	✔
Audio Return Channel (ARC)	✔

Network

Smart TV *	✔

Features

HDCP	✔
Noise level *	36 dB
Air filter	✔
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Compatible operating systems	Android

Multimedia

Built-in speaker(s) *	✔
RMS rated power	20 W

Design

Market positioning *	Home cinema
Product colour *	Black
Placement	Floor
Cable lock slot	✔
Cable lock slot type	Kensington

Display

Built-in display *	✘

Power

Power source *	AC
Power consumption (typical) *	234 W
Power consumption (economy mode)	178 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions

Width	467 mm
Depth	400 mm

Network

Ethernet LAN *	✘
Wi-Fi *	✔
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)

Storage

Card reader integrated *	✘

Features

Interactive *	✘
Noise level (economic mode)	23 dB

Weight & dimensions

Height	153 mm
Weight *	7.4 kg

Packaging content

Remote control included *	✔
Batteries included	✔
Cables included	AC

8715946718453