EPSON

# Epson EH-LS650W data projector 3600 ANSI lumens 3LCD 4K (4096x2400) White

Brand : Epson

Product name : EH-LS650W

Product code: V11HB07040

3600 Lm, 4K PRO-UHD, 2500000 : 1, Laser, 10 Bits, 60" - 120", WLAN, USB, HDMI, 7.4 kg
Epson EH-LS650W. Projector brightness: 3600 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 4K (4096x2400). Light source type: Laser. Fixed focal length: 3.7 mm, Zoom ratio: 1.25:1, Throw ratio: 0,25 - 0,62:1. Video colour modes: Cinema, Dynamic, Natural, Vivid. Service port type: USB Type-B

Projector

Smart projector *	✔
Screen size compatibility *	1524 - 3048 mm (60 - 120")
Projector brightness *	3600 ANSI lumens
Projection technology *	3LCD
Projector native resolution *	4K (4096x2400)
Contrast ratio (typical) *	2500000:1
Native aspect ratio *	16:9
Number of colours	1.07 billion colours
Projector brightness (economic mode)	1800 ANSI lumens
Matrix size	1.57 cm (0.62")
Heat dissipation	897.6 BTU/h

Light source

Light source type *	Laser

Lens system

Fixed focal length	3.7 mm
F-number (relative aperture)	1.6
Zoom ratio	1.25:1
Throw ratio	0,25 - 0,62:1

Video

Analog signal format system *	Not supported
Full HD *	✔
Video colour modes	Cinema, Dynamic, Natural, Vivid

Ports & interfaces

Service port type	USB Type-B
USB 2.0 ports quantity	3
HDMI ports quantity *	2
DVI port *	✘
AC (power) in	✔
Audio Return Channel (ARC)	✔

Network

Smart TV *	✔

Features

HDCP	✔
Noise level *	36 dB
Air filter	✔
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Compatible operating systems	Android

Multimedia

Built-in speaker(s) *	✔
RMS rated power	20 W

Design

Market positioning *	Home cinema
Product colour *	White
Placement	Floor
Cable lock slot	✔
Cable lock slot type	Kensington

Display

Built-in display *	✘

Power

Power source *	AC
Power consumption (typical) *	234 W
Power consumption (economy mode)	178 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions

Width	467 mm
Depth	400 mm

Network

Ethernet LAN *	✘
Wi-Fi *	✔
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)

Storage

Card reader integrated *	✘

Features

Interactive *	✘
Noise level (economic mode)	23 dB

Weight & dimensions

Height	153 mm
Weight *	7.4 kg

Packaging content

Remote control included *	✔
Batteries included	✔
Cables included	AC

8715946718446