


# Delock Mini PCIe Converter to 2 x SATA with RAID

## Description

This converter by Delock expands the system by two SATA ports. When using more than one SATA port, there is the possibility to use different RAID modes.



## Note

This product provides a chipset-based RAID function. Management and setting of the RAID mode is not possible via the operating system or BIOS. Different diagnostic software is not compatible with this solution.

## Specification

- Connectors:
  - 1 x Mini PCIe male
  - 2 x SATA 6 Gb/s 7 pin plug
  - 1 x 2 pin pin header for LED
- Chipset: Asmedia ASM1061R
- Interface: PCI Express revision 2.0
- Data transfer rate:
  - SATA up to 6 Gb/s
  - PCI Express up to 5 Gb/s
- Supports RAID 0, 1, SPAN
- Supports hard drive with Native Command Queue (NCQ) feature
- Supports SATA Port Multiplier
- Supports S.M.A.R.T.
- Supports TRIM

## System requirements

- Linux Kernel 3.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Motherboard with a free Mini PCIe slot with a PCIe interface

## Package content

- Mini PCIe module
- Driver CD
- User manual

## Item no. 95264

EAN: 4043619952649

Country of origin: China

Package: Retail Box



## Images



**General**

Supported operating system:	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Linux Kernel 3.3 or above

**Interface**

Connector 1:	1 x Mini PCIe male
Connector 2:	2 x SATA 6 Gb/s 7 pin plug
connector 3:	1 x 2 pin pin header for LED

**Technical characteristics**

Chipset:	Asmedia ASM1061R
RAID function:	SPAN
	0
	1