



iiyama ProLite T1532MSC-B1S tietokoneen litteä näyttö 38,1 cm (15") 1024 x 768 pikseliä XGA LCD Kosketusnäyttö musta

Tuotemerkki : iiyama **Tuoteperhe:** ProLite **Tuotekoodi:** T1532MSC-B1S

Tuotteen nimi : T1532MSC-B1S

iiyama ProLite T1532MSC-B1S. Näytön halkaisija: 38,1 cm (15"), Näytön erottelutarkkuus: 1024 x 768 pikseliä, HD-tyyppi: XGA, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvausuhde: 4:3, Katselukulma, vaakasuora: 176°, Katselukulma, pystysuora: 176°. Sisäiset kaiuttimet. VESA-kiinnitys. Tuotteen väri: musta



Display		Ports & interfaces	
Display diagonal *	38.1 cm (15")	HDMI *	✓
Display resolution *	1024 x 768 pixels	HDMI ports quantity	1
HD type *	XGA	DisplayPorts quantity	1
Native aspect ratio *	4:3	Headphone out *	✗
Display technology *	LCD	HDCP	✓
Panel type *	TN	Ergonomics	
Touchscreen *	✓	VESA mounting *	✓
Touchscreen technology	Projected capacitive system	Panel mounting interface	100 x 100 mm
Touch technology	Multi-touch	Cable management	✓
Number of simultaneous touchpoints	10	Cable lock slot *	✓
Display brightness (typical)	350 cd/m²	Cable lock slot type	Kensington
Response time *	8 ms	Height adjustment *	✗
Screen shape *	Flat	Tilt adjustment	✓
Contrast ratio (typical) *	800:1	Tilt angle range	-5 - 90°
Viewing angle, horizontal	176°	Power	
Viewing angle, vertical	176°	Energy efficiency class (SDR) *	E
Pixel pitch	0.297 x 0.297 mm	Power consumption (typical) *	16 W
Viewable size, horizontal	30.4 cm	Power consumption (standby) *	1.5 W
Viewable size, vertical	22.8 cm	Power consumption (off)	0.3 W
Digital horizontal frequency	31 - 60 kHz	AC input voltage	100 - 240 V
Performance		AC input frequency	50/60 Hz
NVIDIA G-SYNC *	✗	Power supply type	Internal
AMD FreeSync *	✗	European Product Registry for Energy Labelling (EPREL) code	1547232
Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	351 mm
RMS rated power	2 W	Depth (with stand)	200 mm
Built-in speaker(s) *	✓	Height (with stand)	306.5 mm
Built-in camera *	✗		

Design		Weight & dimensions	
Product colour *	Black	Weight (with stand)	3.7 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	✗	Cables included	Audio, DisplayPort, HDMI, Power, USB
USB Touch port	✓	Quick start guide	✓
VGA (D-Sub) ports quantity	1	Other features	
		International Protection (IP) code	IP54



4948570122097

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date