

APC NetShelter Rack PDU Advanced tehonjakeluyksikkö 42 AC-pistorasia(a) 0U musta

Tuotemerkki : APC Tuotekoodi: APDU10250ME

Tuotteen nimi: NetShelter Rack PDU Advanced

APC NetShelter Rack PDU Advanced. PDU types: Mitattu, Telineen kapasiteetti: 0U, Malli: Kolmivaiheinen. Ulostulojen määrä: 42 AC-pistorasia(a), Pistorasian tyypit: C13 liitin, C15 liitin, C19 liitin, C21 liitin, Virtapistoke: IEC 60309. LED-merkkivalot: Toiminta/Seikkailu, Verkko, Teho, Johdon pituus: 1,8 m, Tietoturva-algoritmit: 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SNMP, SNMPv2, SNMPv3. Seuranta: Virta, Ilmankosteus, Teho, Lämpötila, Jännite, Outlet-ohjaus: Esto, Kierrätys, Käynnistys, Laiteohjelmiston päivitys (kautta): Verkko, USB. Nimellinen syöttöjännite: 400 V, Enimmäisvirta: 16 A, AC-syöttötaajuus: 50 - 60 Hz





Design		Power	
PDU types * Type Form factor Rack capacity * Mounting Product colour Display On/off switch Regulatory Approvals	Metered Three-phase Rackmount OU Vertical Black LCD ✓ CE, CSA C22.2 No 62368-1, EN 62368-1, FCC part 15 subpart B,	Nominal output voltage Output voltage Load capacity Number of phases Maximum total current draw per phase Power protection features Maximum power Surge protection Certificates	230 V 230 V 11500 VA 3 16 A Overload 11040 W
Ports & interfaces	UKCA, UL 62368-1	Compliance certificates	RoHS
AC outlets quantity * Power plug AC outlet types * Ethernet LAN (RJ-45) ports USB ports quantity Features	42 AC outlet(s) IEC 60309 C13 coupler, C15 coupler, C19 coupler, C21 coupler 2	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating temperature (T-T)	-5 - 60 °C -25 - 65 °C 5 - 95% 5 - 95% 0 - 3048 m 0 - 15240 m 23 - 140 °F
Daisy chain Reset button	/	Weight & dimensions	
LED indicators Colour-coded outlets Cable length Security algorithms	Activity, Network, Power 1.8 m 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SNMP, SNMPv2,	Width Depth Height Weight Packaging data	56 mm 55 mm 1490 mm 5.7 kg
Password protection	SNMPv3	Package weight Package width	7.7 kg 208 mm

Features		Packaging data	
Compatible products	Compatible with most NetShelter SX enclosures and third-party racks	Package depth Package height	116 mm 1720 mm
Management features		Logistics data	
Monitoring	Current, Humidity, Power, Temperature, Voltage	Total carbon footprint (kg of CO2e)	8717.32
Outlet control	Lock-out, Recycle, Turn on		
Firmware upgradeable	✓		
Firmware upgradeable via	Network, USB		
Power			
Nominal input voltage *	400 V		
AC input frequency	50 - 60 Hz		
Maximum current *	16 A		





731304439684

0731304439684

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.