

Technical Specifications

MOBOTIX FF Group License Plate Recognition App - Region EUCA

Certified App for License Plate Recognition

The app's artificial intelligence-based algorithms, which have already been successfully tested in numerous European markets, allow the reliable recognition of single and two-line license plates of vehicles in the supported regions of origin (Latin and Hebrew characters and numbers). The app can be tested free of charge for 30 days and is activated by license for an unlimited period of time. Typical application areas for the app are: Parking management, access control and regulation, traffic monitoring.

- App delivers events via MxMessageSystem in real-time
- Integrated recognition protocol (last 1000 recognized license plates)
- License plate detection with up to 99% accuracy
- Camera can be online or offline
- Configuration of the application also via MxManagementCenter (free Advanced Config license required)
- Can be used with all cameras of the MOBOTIX 7 system platform



MOBOTIX

Technical Specifications

MOBOTIX FF Group License Plate Recognition App - Region EUCA

Product Information

Product Name FF Group License Plate Recognition App - Region EUCA

Order Code Mx-APP-FF-LPR-EUCA

Supported MOBOTIX Cam- Mx-M73A, Mx-S74A

eras

Minimum Camera Firmware V7.0.4.x

MxManagementCenter min. MxMC v2.3.1

Integration

Product Features

App Features	License plate recognition of one- and two-line license plates
	Latin and Hebrew characters
	Recognition log (last 1000 recognized license plates)
	MOBOTIX events via MxMessageSystem
	Extended country coverage*
	White- and blacklisting

Maximum number of lanes 3

Meta Data / Statistic JSON, CSV formats

Trial License 30-day trial license pre-installed

MxMessageSystem sup- Yes ported

Interfaces MxMC Smart Data, IP Notification

MOBOTIX Events Yes

ONVIF Events Yes (Generic message event)

Smart Data Interface to Yes

MxManagementCenter

Supported Regions

Europe	Albania, Armenia, Austria, Azerbaijan, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Georgia, Germany, Greece, Hungary, Iceland, Italy, Ireland, Israel, Kazakhstan, Kirgizstan, Latvia, Lithuania, Luxembourg, Macedonia, Malta, Moldova, Montenegro, Netherlands, Norway, Poland, Portugal, Romania, Russia, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Tajikistan, Turkey, Turkmenistan, Ukraine, United Kingdom, Uzbekistan, Vatican City State
Israel / Palestine	Israel / Palestine
APAC	Australia, New Zealand

Scene Requirements

Minimum License Plate Width	130 px
Maximum Vertical Angle	30°
Maximum Horizontal Angle	30°
Maximum Tilt Angle	5°
MOBOTIX App support	Yes

Technical App Specifications

Synchronous / Asynchronous App	Asynchronous
Accuracy	up to 120 km/h on 2 lanes simultaneously, up to 200 km/h on 1 lane: min. 95% (from general traffic count) close to 99% (from detected vehicles count)
Processed number of frames per second	Typ. 10 fps
Detection time	Typ. 100 – 120 ms

