SilverNet FDD 802G-60-PCP Verkkosilta 2000 Mbit/s Valkoinen

Tuotemerkki: SilverNet Tuotekoodi: SIL FDD 802G-60-PCP

Tuotteen nimi: FDD 802G-60-PCP

SilverNet FDD 802G-60-PCP. Tiedonsiirron enimmäisnopeus: 2000 Mbit/s, Suurin siirtoetäisyys: 5000 m. Antennin muotoilu: Ulkoinen. Taajuuskaista: 80 GHz, Modulointi: 8-QAM, 16-QAM, 32-QAM, 64-QAM, 128-QAM, 256-QAM, BPSK, Taajuuden vakaus: 5 ppm. Yhteysteknologia: Langallinen & langaton. Tietoturvaalgoritmit: 128-bit AES, 256-bit AES





Data transmission		Features	
Maximum data transfer rate *	2000 Mbit/s	International Protection (IP) code	IP65
Maximum transfer distance	5000 m	Surge protection	✓
Antenna		Quality of Service (QoS) support	✓
Antenna design	External	Network Time Protocol (NTP) client	✓
Antennas quantity	2	Flow control support	✓
Wireless LAN features		RMON Statistics	✓
Frequency band	80 GHz	Link Loss Forwarding (LLF)	✓
Modulation	8-QAM, 16-QAM, 32-QAM, 64-QAM, 128-QAM, 256-QAM, BPSK	Link aggregation	✓
Frequency stability	5 ppm	Power	
Network		Power source type	PoE
Full duplex	1	Operational conditions	
Point-to-point protocol over		Operating temperature (T-T)	-35 - 55 °C
Ethernet (PPPoE)	✓	Certificates	
Ports & interfaces	Wired & Wireless	Certification	ETSI EN 302 217 / FCC CFR 47, Part 101 and Part 15
Connectivity technology	wired & wireless	Weight & dimensions	
Security		Antenna diameter	60 cm
Security algorithms	128-bit AES, 256-bit AES	Weight	15.5 kg
MAC address filtering	✓	Other features	
Access Control List (ACL)	✓	Warranty period	1 year(s)
Management features			1 year(s)
Management protocols	SNMP v1/v2c/v3, HTTPs, SSH, SFTP,	Packaging data	
Web-based management	RADIUS,	Package width	700 mm 700 mm
	•	Package depth Package height	500 mm
Features		Package weight	18.5 kg
Product type *	Network bridge	Package type	Box
Mounting type	Pole/Wall	Quantity per pack	1 pc(s)
Product colour	White	Logistics data	
Power LED	1	UK Trade Tariff code	85176200
Real-Time Parameter Control (RTPC)	✓	ON ITAGE TAITH COUR	031/0200

Features

Automatic Transmit Power Control (ATPC)



5060693980886

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.