Lenovo ThinkCentre Tiny-In-One 24 Gen 5 LED display 60,5 cm (23.8") 1920 x 1080 pikseliä Full HD Kosketusnäyttö musta

Tuotemerkki : Lenovo

Tuotekoodi: 12NBGAT1EU

Ergonomics

Tuotteen nimi : ThinkCentre Tiny-In-One 24 Gen 5

Lenovo ThinkCentre Tiny-In-One 24 Gen 5. Näytön halkaisija: 60,5 cm (23.8"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 6 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta





Display

Display diagonal *60.5 cm (23.8°)Panel mounting interface100 x 100 mmDisplay resolution *1200 x 1080 pixelsCable lock slot *Native aspect ratio *Full HONCable lock slot *Native aspect ratio *16.9Cable lock slot *Display technology *LEDHeight adjustment *Panel typeIPSAdjustab height (max)51.5 cmBacklight typeVLEDPivotTouchscreen *VLEDPivot angleDisplay brightness (typical)250 cdm²SwivellingScreen shape *FintTilt adjustmentContrast ratio (typical) *00001-1On Screen Slage *Kaximum refresh rate *6042PowerViewing angle, horizontal178*Energy efficiency class (SDR) *14 kWhNatimum refresh rate *0.9275 x 0.275 mmPower consumption (fmx)34 kWiViewalag size, horizontal5.7 cmPower consumption (fmx)34 kWiViewalag size, horizontal5.7 cmPower consumption (fmx)34 kWiViewalag size, horizontal5.96 cmAci ngut registresh consumption (fmx)35.0 cmViewalag size, horizontal5.96 cmPower consumption (fmx)35.0 cmViewalag size, horizontal5.96 cmAci ngut registresh consumption (fmx)34 kWiViewalag size, horizontal5.96 cmAci ngut registresh consumption (fmx)35.0 cmViewalag size, horizontal5.96 cmAci ngut registresh consumption	Display		Ergonomics	
Viewable size, vertical29.6 cmAC input voltage100 - 240 VColour depth8 bitAC input frequency50 - 60 HzColour gamut standardsRGBPower supply typeExternalColour gamut99% Weight & dimensions sRGB coverage (typical)99%Width (with stand)539.8 mmPerformanceVieth (with stand)539.6 mmLow Blue Light technology•Height (with stand)539.6 mmMultimedia•Weight (with stand)539.8 mmNumber of speakers2Weight (with stand)539.8 mmRMS rated power6 WPepth (without stand)539.8 mmBuilt-in speaker(s) *••Pepth (without stand)539.8 mmBuilt-in compone•Meight (without stand)539.8 mmBuilt-in camera *••Meight (without stand)539.8 mmWeight (without stand)539.8 mmMithick (without stand)539.8 mmBuilt-in camera *•Meight (without stand)367.6 mmBuilt-in camera *•Meight (without stand)3.7 kg	Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch Pixel density	1920 x 1080 pixels Full HD 16:9 LED IPS W-LED ✓ 250 cd/m ² 6 ms ✓ Flat 1000:1 3000000:1 60 Hz 178° 178° 16.7 million colours 4 ms 0.275 x 0.275 mm 93 ppi	Cable management Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max)	 Kensington 15.5 cm -5 - 90° -45 - 45° -5 - 23.5° D 14 kWh 14 W 0.5 W 34 W
Colour gamut standardsRGBPower supply typeExternalColour gamut99%Weight & dimensionssRGB coverage (typical)99%Width (with stand)539.8 mmPerformanceDepth (with stand)207.6 mmLow Blue Light technology•Height (with stand)539.6 mmMultimedia•Weight (with stand)539.8 mmNumber of speakers2Depth (with stand)6 kgRMS rated power6 MDepth (without stand)539.8 mmBuilt-in speaker(s)*••Depth (without stand)539.8 mmBuilt-in microphone••Meight (without stand)539.8 mmBuilt-in camera*••Depth (without stand)539.8 mmMultimedia•Depth (without stand)539.8 mm•Multimedia•Meight (without stand)539.8 mm•Multimate power0NoNo••Built-in microphone••Meight (without stand)••Built-in camera*•Meight (top)2 mm••	Pixel density Viewable size, horizontal Viewable size, vertical	93 ppi 52.7 cm 29.6 cm	Power consumption (max) Power consumption (off) AC input voltage	34 W 0.5 W 100 - 240 V
PerformanceDepth (with stand)207.6 mmLow Blue Light technology✓Height (with stand)539.6 mmMultimediaWeight (with stand)6 kgNumber of speakers2Depth (without stand)539.8 mmRMS rated power6 WDepth (without stand)72.8 mmBuilt-in speaker(s) *✓Weight (without stand)367.6 mmBuilt-in microphone✓Meight (without stand)3.7 kgBuilt-in camera *✓Bezel width (top)2 mm	Colour gamut standard Colour gamut	sRGB 99%	Power supply type Weight & dimensions	External
MultimediaWidth (without stand)539.8 mmNumber of speakers2Depth (without stand)72.8 mmRMS rated power6 WHeight (without stand)367.6 mmBuilt-in speaker(s) *✓Weight (without stand)3.7 kgBuilt-in microphone✓Bezel width (side)2 mmBuilt-in camera *✓Bezel width (top)2 mm		√	Depth (with stand) Height (with stand)	207.6 mm 539.6 mm
	Number of speakers RMS rated power Built-in speaker(s) * Built-in microphone	6 W ✓	Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Bezel width (side) Bezel width (top)	539.8 mm 72.8 mm 367.6 mm 3.7 kg 2 mm 2 mm

Design		Packaging data	
Product colour *	Black	Package width	620 mm
Colour name	Raven Black	Package depth	187 mm
Detachable stand	1	Package height	420 mm
Feet colour	Black, Red	Package weight	9.5 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	1	Stand included	1
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Cables included	AC
USB upstream port type	USB Type-B	Power adapter included	1
Number of upstream ports	1	Quick start guide	J
USB Type-A downstream ports guantity	1	Power cable length	1 m
HDMI *	v	Other features	
HDMI ports quantity	1	Compatible operating systems	Windows 10 Windows 11
HDMI version	1.4		EPEAT Gold Registered EU Energy Label (D-class) ENERGY STAR Certified TCO Certified 9.0 TCO
DisplayPorts quantity	1		
DisplayPort version	1.2		edge 2.0 Volatile Organic
Built-in KVM switch	<	Certification	Compound Certification RoHS compliant Eyesafe Certified 2.0 TÜV
Ergonomics			Rheinland Eye Comfort Certification TÜV Rheinland Low Blue Light
VESA mounting *	1		(Hardware Solution)





196804766782

0196804766782

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.