## StarTech.com C2-H46-UC2-PD-KVM KVM-kytkin musta

Tuotemerkki : StarTech.com

Tuotteen nimi : C2-H46-UC2-PD-KVM

StarTech.com C2-H46-UC2-PD-KVM. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: HDMI. HD-tyyppi: 4K Ultra HD, Enimmäiserottelutarkkuus: 4096 x 2160 pikseliä, Videokaistanleveys: 75 Hz. Tuotteen väri: musta, Kotelon materiaali: Akryylinitriilibutadieenistyreeni (ABS), Johdon pituus: 1 m. Virrankulutus: 10 W, USB Power Delivery asti: 100 W. Vaatimustenmukaisuustodistukset: CE, RoHS






Ports & interfaces		Power	
Number of computers controlled * Keyboard port type * Mouse port type *	board port type *USBuse port type *USBeo port type *HDMIsole ports *HDMI, USB A, USB C	USB Power Delivery (USB PD) USB Power Delivery up to	✓ 100 W
		Sustainability	
Console ports * Console USB ports quantity		Sustainability compliance Compliance certificates	✔ CE, RoHS
Console HDMI ports quantity	1	Operational conditions	
erformance D type * 4K Ultra HD aximum resolution * 4096 x 2160 pixels	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	5 - 55 °C -20 - 50 °C 20 - 80%	
Video bandwidth	75 Hz	Weight & dimensions	
Data transfer rate (max) Plug and Play Chipset	0.48 Gbit/s ✓ VLI - VL103R, VLI - VL171, Parade - PS186, VLI - VL817	Width Depth Height	70 mm 140 mm 15 mm
Audio channels	7.1	Weight	200 g
Design		Packaging data	
Rack mounting * Product colour * Housing material	× Black Acrylonitrile butadiene styrene (ABS)	Package width Package depth Package height Package weight	120 mm 172 mm 85 mm 440 g
Cable length	1 m	Packaging content	
LED indicators Push button	Power ✔	Cables included Quick installation guide	USB Type-C 🖌
Hot keys	×	Other features	
Mean time between failures (MTBF)	50000 h	IP control	×

Tuotekoodi: C2-H46-UC2-PD-KVM

Display		Logistics data	
Built-in display *	×	Master (outer) case width	410 mm
Power		Master (outer) case length	470 mm
Power consumption (typical)	10 W	Master (outer) case height Products per master (outer) case	310 mm 20 pc(s)





065030897648

0065030897648

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.